

FORD METER BOX COVERS

SECTION D

Ford Meter Box Numbering System

15" - 21" Meter Pit Covers

TYPE OF COVER

- 32B** = Adjustable Cover 11-1/2" Lid, 18" Pit Diameter
A = Recessed Single Lid Cover (4" depth)
A32C = Spiked Cover 11-1/2" Lid, 18" Pit Diameter
C = Overlapping Single Lid Cover (4" depth)
KA = Flat Cover with Inset Lid
PMBC = Overlapping Single Lid Plastic Cover (4" depth)
W = Wabash Double Lid Cover (10" depth)
X = Overlapping Single Lid Hinged Cover (4" depth)

TYPE OF TOP LID OR FRAME

- C3** = Special Spiked and Adjustable Top Lid Only
CX = Type C or Type X Plastic Top Lid Only
***F** = Frame Only
WA = Wabash, Type A, Type KA Top Lid Only

LID ONLY AND/OR LID THICKNESS

- A** = Aluminum Inner Lid with W3 Cover Instead of Plastic
-D = Recessed Plastic Inner Lid for W Style Cover with 11-1/2" Lid Opening - Standard with Plastic Lids and Iron Lids with T-read Holes
H = Extra Heavy Lid
L = Lid Only, without Frame. The "L" will need to appear with all LID ONLY part numbers.
P = Locking Plastic Lid (11-1/2" size only)
PR = Plastic Inset Lid (11-1/2" size only) - Only on W, A and KA Style Lids
HH = Double Extra Heavy Frame with Extra Heavy Lid for Style A Only

A 3 2 H H - T

LID SIZE

(This code also represents the tile size when only one digit is listed. See tile size for code representation.)

- 1** = 8"
2 = 9-1/2"
3 = 11-1/2"
4 = 11-1/2" (except X43 has a 13-1/2" lid)
5 = 15"
6 = 18"
7 = 20"
8 = 21"

TILE SIZE

(If this number is not indicated, the lid size code number designates the tile size code number also.)

- 1** = 15"
2 = 18"
3 = 20"
4 = 21"
-1-4 = 15"-21" (adjustable cover with 11-1/2" lid only)

* "F" placed before cover type code designates "Frame Only."

OPTIONS

- BR** = Plastic ERT Bracket (11-1/2" plastic lids and PPSC iron covers only)
LB = Large Pentagon Bolt
LL = Lockless Lid (iron lids only)
T = Single Electronic Meter Reading Lid, 2" Hole
TT = Double Electronic Meter Reading Lid, Two 2" Holes
TP = Single Electronic Meter Reading Lid, with Removable Plug
TTP = Double Electronic Meter Reading Lid, with Removable Plugs

24" and Larger Meter Pit Covers

TYPE OF LID

- MC** = Monitor Covers
RML = Monitor Top Lid ONLY

LID THICKNESS

- H** = Extra Heavy Lid
HH = Double Extra Heavy Lid

LID AND INNER LID

- MB** = Inner Lid
P = Plastic Lid (not available in extra heavy or double extra heavy)

MC - 2 4 H H - M B - T

FOR TOP LID ONLY

- 1** = Standard Lid
11 = Extra Heavy Lid
12 = Double Extra Heavy Lid

FOR MONITOR COVERS

- 24** = 24" Pit Diameter
30 = 30" Pit Diameter
36 = 36" Pit Diameter

OPTIONS

- T** = Single Electronic Meter Reading Lid, 2" Hole
TT = Double Electronic Meter Reading Lid, Two 2" Holes
LB = Large Pentagon Bolt
LL = Lockless Lid

Note: See item listings in catalog section to ensure that desired sizes and options are available.

D

FORD ELECTRONIC METER READING COVER OPTION

Special lids for a number of Ford covers are available with precast holes for electronic meter reading modules. On the following pages, this option is designated with a “-T” for a single hole cover, “-TT” for a double hole cover and a “-NPR” for a Maxi Pit Pro Read single hole cover. For an optional 2" hole plug, removable for future electronic meter reading module installation, use “-TP.” For the “-TP” option add to the “-T” price \$ 9.97
The double hole and plug option would be “-TTP.” Add to the “-TT” price\$19.93


KEYS FOR COVERS AND VALVES


CATALOG NUMBER	DESCRIPTION	APPROX. WT. LBS.	LIST PRICE
KEY-1	Key for Standard Pentagon	0.7	\$ 43.44
KEY-1-B	Key for Large Pentagon	0.7	44.16
KEY-1-SLOTTED	Key for Standard Pentagon, Slotted for Valve Tee-Head	0.7	47.26
KEY-2	Key for Standard and Large Pentagon	1.0	51.89
KEY-2-SLOTTED	Key for Standard and Large Pentagon, Slotted for Valve Tee-Head	1.0	67.26
KEY-3-24	24" Long Key for Standard Pentagon	2.4	115.50
*KEY-3-B-24	24" Long Key for Large Pentagon	2.4	126.71
KEY-3-30-BH	30" Long Key for Standard Pentagon, Bent Handle	3.1	142.25
KEY-3-36	36" Long Key for Standard Pentagon	3.2	131.74
KEY-3-48	48" Long Key for Standard Pentagon	4.3	157.55
KEY-3-60	60" Long Key for Standard Pentagon	5.1	161.79
KEY-3-72	72" Long Key for Standard Pentagon	6.0	166.44
KEY-4-24	24" Long Key for Standard Pentagon on One End and Large Pentagon on Tee End	2.6	176.95
KEY-4-36	36" Long Key for Standard Pentagon on One End and Large Pentagon on Tee End	3.4	200.66
KEY-4-48	48" Long Key for Standard Pentagon on One End and Large Pentagon on Tee End	4.5	226.31

Other key lengths available on special order.


Note: Number 3 and 4 keys for the standard pentagon bolt are slotted for valve operation.

* Keys for large pentagon bolts are not slotted for valve operation. Add “-SLOTTED” to catalog number if needed.






WORM LOCK PARTS

CATALOG NUMBER	DESCRIPTION	LIST PRICE
WLA	Worm Lock Assembly Complete for a Standard Pentagon	\$ 21.30
WLA-LB	Worm Lock Assembly Complete for a Large Pentagon	21.30
WLA-1-25-93026-014	Worm Lock Assembly for use on WA3LP, PPSC-15-L and PPSC-18-L Style Lids	21.30
WLA-1-63-93026-015	Worm Lock Assembly for use on PPSC-15-L-P and PPSC-18-L-P Style Lids	30.34
WLA-BOLT	Bolt Only for Worm Lock Assembly for a Standard Pentagon	10.15
WLA-BOLT-LB	Bolt Only for Worm Lock Assembly for a Large Pentagon	10.15
WLA-WORM	Worm Gear Only for Worm Lock Assembly	10.15
WLA-WASHER-P	Plastic Washer Only for Worm Lock Assembly	0.53
WLA-WASHER-B	Bronze Washer Only for Worm Lock Assembly	1.26

INSULATING BLANKETS AND DISCS

CATALOG NUMBER	DESCRIPTION	LIST PRICE
FIB	4' x 4' x 3/32" Insulating Blanket	\$ 36.14
CCID-15	15" Closed Cell Insulating Disc – 1-1/2" Thick	49.44
CCID-15-2	15" Closed Cell Insulating Disc – 2" Thick	49.44
CCID-15-4	15" Closed Cell Insulating Disc – 4" Thick	76.45
CCID-15-6	15" Closed Cell Insulating Disc – 6" Thick	116.73
CCID-18	18" Closed Cell Insulating Disc – 1-1/2" Thick	73.07
CCID-18-2	18" Closed Cell Insulating Disc – 2" Thick	73.07
CCID-18-4	18" Closed Cell Insulating Disc – 4" Thick	109.36
CCID-18-6	18" Closed Cell Insulating Disc – 6" Thick	163.77
CCID-20	20" Closed Cell Insulating Disc - 1-1/2" Thick	87.08
■ CCID-20C-4-2	20" Closed Cell Insulating Disc - 4" Thick for Corrugated Tile	231.60
CCID-24	24" Closed Cell Insulating Disc - 1-1/2" Thick	128.33
■ CCID-24C-4-2	24" Closed Cell Insulating Disc - 4" Thick for Corrugated Tile	295.60
■ CCID-27-2-2	27" Closed Cell Insulating Disc - 2" Thick	P.O.A.
■ CCID-27-4-2	27" Closed Cell Insulating Disc - 4" Thick	P.O.A.
■ CCID-36-2-2	36" Closed Cell Insulating Disc - 2" Thick	560.57
■ CCID-36-4-2	36" Closed Cell Insulating Disc - 4" Thick	660.74

■ Two-piece with removable center access plug for viewing the meter register.

**PLASTIC AMR PLUG**

CATALOG NUMBER	DESCRIPTION	APPROX. WT. LBS.	LIST PRICE
PTP	Plastic Plug and Nut for Electronic Meter Reading Lid having a 1-27/32" or 2" diameter hole. Adapts up to a 5/8" maximum lid thickness.	-	\$ 11.58
PTP-BR	Plastic Plug with Bracket for Electronic Meter Reading Lid having a 1-27/32" or 2" diameter hole. Adapts up to a 5/8" maximum lid thickness.	-	16.12
PTP-3-25	Plastic Plug and Nut for Electronic Meter Reading Lid having a 1-27/32" or 2" diameter hole. Adapts up to a 3-1/4" maximum lid thickness.	0.1	21.52
PTP-BR-3-25	Plastic Plug with Bracket for Electronic Meter Reading Lid having a 1-27/32" or 2" diameter hole. Adapts up to a 3-1/4" maximum lid thickness.	0.1	23.91

PLASTIC AMR PLUG COMPONENTS


CATALOG NUMBER	DESCRIPTION	APPROX. WT. LBS.	LIST PRICE
PLUG-300355	Plastic Lid Plug Only with 1" Threaded Post	-	\$ 7.35
PLUG-300354	Plastic Lid Plug Only with 3-1/2" Threaded Post	0.1	15.87
NUT-300356	Plastic Nut	-	6.75
BRACKET-300351	Plastic ERT Bracket	0.1	10.44

**PLASTIC ERT BRACKET FOR WABASH, A, C AND X STYLES - PLASTIC LIDS FOR FIELD INSTALLATIONS ONLY**

CATALOG NUMBER	DESCRIPTION	APPROX. WT. LBS.	LIST PRICE
PBR-YJ	Plastic ERT Bracket with (3) Stainless Steel Clips (field installation only)	0.1	\$ 9.68

FORD WABASH DOUBLE LID COVERS

INSET STYLE TOP LID PLUS INNER LID FOR FROST PROTECTION, 10" COVER DEPTH




CATALOG NUMBER		DESCRIPTION		APPROX. WT. LBS.	LIST PRICE
W/ PLASTIC INSET LID	W/ IRON LID	LID SIZE*	TILE I.D.		
TYPE W COVER WITH LOCKING LID					
-	W1	8"	15"	34.9	\$ 301.40
**♦ W31PR	W31	11-1/2"	15"	43.9	317.79
-	W2	9-1/2"	18"	42.6	338.54
**♦ W32PR	W32	11-1/2"	18"	51.2	319.85
**♦ W3PR	W3	11-1/2"	20"	51.7	349.17
**♦ W4PR	W4	11-1/2"	21"	51.9	434.87
TYPE W COVER WITH LOCKLESS LID					
-	W31-LL	11-1/2"	15"	43.9	345.23
-	W32-LL	11-1/2"	18"	51.3	347.26
-	W3-LL	11-1/2"	20"	51.8	376.57
-	W4-LL	11-1/2"	21"	52.0	462.27
** TYPE W COVER WITH LOCKING ELECTRONIC READ LID					
-	W31-T	11-1/2"	15"	44.2	323.11
-	W2-T	9-1/2"	18"	42.3	343.85
-	W32-T	11-1/2"	18"	51.5	325.18
-	W3-T	11-1/2"	20"	52.0	354.49
-	W4-T	11-1/2"	21"	52.3	440.20
** TYPE W COVER WITH LOCKING DOUBLE ELECTRONIC READ LID					
-	W31-TT	11-1/2"	15"	45.0	328.44
-	W32-TT	11-1/2"	18"	51.5	330.50
-	W3-TT	11-1/2"	20"	52.0	359.82
-	W4-TT	11-1/2"	21"	56.0	445.51
TYPE W COVER, EXTRA HEAVY FRAME AND EXTRA HEAVY LOCKING LID					
-	W3H	11-1/2"	20"	89.0	637.30
TYPE W COVER, EXTRA HEAVY FRAME AND EXTRA HEAVY LOCKING ELECTRONIC READ LID					
-	W3H-T	11-1/2"	20"	86.4	642.62

** A plastic inner lid with a 2" recess is standard (see W3BPD below) in Wabash style electronic meter reading covers and Wabash covers with plastic inset lids with a 11-1/2" lid opening.

TOP LIDS FOR WABASH COVER

(see following page)

INNER LIDS ONLY FOR WABASH COVERS



CATALOG NUMBER	DESCRIPTION LID SIZE* AND TYPE	APPROX. WT. LBS.	LIST PRICE
W1BA	8" Aluminum	1.3	\$ 53.47
W2BA	9-1/2" Aluminum	1.6	67.10
W3BA	11-1/2" Aluminum	1.8	74.23
W3BP	11-1/2" Plastic	0.6	11.85
W3BPD	11-1/2" Plastic w/ 2" Recess	0.6	11.85

W3BPD comes standard with Wabash style electronic read lids and Wabash covers with plastic lids.

Note: Locking lids are supplied with a standard pentagon bolt. If a large bolt is desired, add "-LB" to the catalog number. Example, a W3-LB is a W3 cover with a large bolt on the locking lid. Large bolt option supplied at no extra charge.

* Lid size indicates approximate pit access opening; actual lid diameter is approximately 1" larger.

♦ Optional ERT Bracket: Add "-BR" to end of catalog number, add to list price \$ 7.86

FORD TYPE A SINGLE LID COVERS

INSET STYLE TOP LID, 4" COVER DEPTH

CATALOG NUMBER		DESCRIPTION		APPROX. WT. LBS.	LIST PRICE
W/ PLASTIC INSET LID	W/ IRON LID	LID SIZE*	TILE I.D.		
TYPE A COVER WITH LOCKING LID					
-	A1	8"	15"	25.6	\$ 187.78
♦ A31PR	A31	11-1/2"	15"	27.5	169.95
-	A2	9-1/2"	18"	30.6	189.02
♦ A32PR	A32	11-1/2"	18"	32.0	173.01
♦ A3PR	A3	11-1/2"	20"	33.8	211.18
♦ A4PR	A4	11-1/2"	21"	35.3	285.02
-	A53	15"	20"	40.4	353.83
TYPE A COVER WITH LOCKLESS LID					
-	A31-LL	11-1/2"	15"	27.6	197.29
-	A32-LL	11-1/2"	18"	32.1	200.46
-	A3-LL	11-1/2"	20"	33.8	238.58
-	A4-LL	11-1/2"	21"	35.3	312.37
TYPE A COVER WITH LOCKING ELECTRONIC READ LID					
-	A31-T	11-1/2"	15"	27.8	175.27
-	A2-T	9-1/2"	18"	30.3	194.35
-	A32-T	11-1/2"	18"	32.3	178.32
-	A3-T	11-1/2"	20"	34.1	216.51
-	A4-T	11-1/2"	21"	35.6	290.35
-	A53-T	15"	20"	40.4	359.14
TYPE A COVER WITH LOCKING DOUBLE ELECTRONIC READ LID					
-	A31-TT	11-1/2"	15"	28.0	180.61
-	A32-TT	11-1/2"	18"	32.3	183.65
-	A3-TT	11-1/2"	20"	34.1	221.84
-	A4-TT	11-1/2"	21"	35.6	295.67
-	A53-TT	15"	20"	40.4	364.47
TYPE A MODULAR METER PIT COVERS					
-	A6234H	18"	18", 20", 21"	108	646.03
-	A656H	18"	24", 27"	135	994.18
TYPE A COVER, EXTRA HEAVY FRAME WITH EXTRA HEAVY LOCKING LID					
-	A3H	11-1/2"	20"	54.0	396.96
TYPE A COVER, EXTRA HEAVY FRAME WITH EXTRA HEAVY LOCKING ELECTRONIC READ LID					
-	A3H-T	11-1/2"	20"	53.5	402.28
TYPE A COVER, DOUBLE EXTRA HEAVY FRAME WITH EXTRA HEAVY LOCKING LID					
-	A32HH	11-1/2"	18"	63.4	452.55
TYPE A COVER, DOUBLE EXTRA HEAVY FRAME WITH EXTRA HEAVY LOCKING ELECTRONIC READ LID					
-	A32HH-T	11-1/2"	18"	68.9	457.87
♦ Optional ERT Bracket: Add "-BR" to end of catalog number, add to list price.....					\$ 7.86



D

TOP LIDS ONLY FOR TYPE A AND WABASH COVER

CATALOG NUMBER	DESCRIPTION LID SIZE* AND TYPE	APPROX. WT. LBS.	LIST PRICE
PLASTIC LOCKING LID			
WA3LPR	11-1/2" Plastic (inset)	3.1	\$ 63.72
WA3LPR-BR	11-1/2" Plastic (inset) w/ ERT Bracket	3.2	71.63
WA3LPR-C-T	11-1/2" Plastic (inset) with Touch Read Hole	3.1	80.35
LOCKING IRON LID			
WA1L	8"	5.7	61.93
WA2L	9-1/2"	7.1	62.52
** WA3L	11-1/2"	9.8	63.72
** WA3LH	11-1/2" Extra Heavy	21.9	158.82
WA5L	15"	17.2	131.11
WA5LH	15" Extra Heavy	38.3	264.07
WA6LH	18" Extra Heavy	54.0	332.90
LOCKLESS IRON LID			
WA3L-LL	11-1/2"	9.8	91.14
LOCKING ELECTRONIC READ IRON LID			
WA1L-T	8"	5.7	67.24
WA2L-T	9-1/2"	6.8	67.83
WA3L-T	11-1/2"	10.1	69.06
WA3LH-T	11-1/2" Extra Heavy	21.4	164.16
WA5L-T	15"	17.2	136.45
LOCKING DOUBLE ELECTRONIC READ IRON LID			
WA3L-TT	11-1/2"	10.1	74.37
WA5L-TT	15"	17.2	141.76

Note: All top lids are iron unless indicated otherwise.



Note: Locking lids are supplied with a standard pentagon bolt. If a large bolt is desired, add "-LB" to the catalog number. Example: A3-LB is an A3 cover with a large bolt on the locking lid. Large bolt option supplied at same price.

* Lid size indicates approximate pit access opening; actual lid diameter is approximately 1" larger.

** Available with the word "SEWER" at no extra charge. Add "-SEWER" to the catalog number.


FORD TYPE C SINGLE LID COVERS OVERLAPPING STYLE TOP LID, 4" COVER DEPTH



D

CATALOG NUMBER	DESCRIPTION		APPROX. WT. LBS.	LIST PRICE
	LID SIZE*	TILE I.D.		
TYPE C COVER WITH PLASTIC LOCKING LID				
♦ C31P	11-1/2"	15"	19.5	\$ 139.88
♦ C32P	11-1/2"	18"	21.6	146.32
♦ C3P	11-1/2"	20"	27.8	187.60
♦ C4P	11-1/2"	21"	34.0	282.60
TYPE C COVER WITH LOCKING LID				
C1	8"	15"	20.8	\$ 162.60
C31	11-1/2"	15"	26.8	150.58
C32	11-1/2"	18"	28.9	157.06
C52	15"	18"	36.9	256.86
C3	11-1/2"	20"	35.1	198.32
C53	15"	20"	40.4	305.36
C4	11-1/2"	21"	37.9	293.35
TYPE C COVER WITH LOCKLESS LID				
C31-LL	11-1/2"	15"	29.1	150.58
C32-LL	11-1/2"	18"	31.2	157.06
C3-LL	11-1/2"	20"	37.4	198.32
C4-LL	11-1/2"	21"	40.2	293.35
TYPE C COVER WITH LOCKING ELECTRONIC READ LID				
C1-T	8"	15"	21.0	167.94
C31-T	11-1/2"	15"	27.8	155.91
C32-T	11-1/2"	18"	29.9	162.39
C52-T	15"	18"	36.9	262.17
C3-T	11-1/2"	20"	36.1	203.66
C53-T	15"	20"	40.1	310.68
C4-T	11-1/2"	21"	38.9	298.65
TYPE C COVER WITH LOCKING DOUBLE ELECTRONIC READ LID				
C31-TT	11-1/2"	15"	24.0	161.23
C32-TT	11-1/2"	18"	30.5	167.71
C3-TT	11-1/2"	20"	36.7	208.97
C4-TT	11-1/2"	21"	39.5	303.98
C53-TT	15"	20"	40.0	316.01
TYPE C COVER, EXTRA HEAVY FRAME WITH EXTRA HEAVY LOCKING LID				
C31H	11-1/2"	15"	37.3	418.00
C32H	11-1/2"	18"	44.7	345.51
C3H	11-1/2"	20"	50.5	412.68
TYPE C COVER, EXTRA HEAVY FRAME WITH EXTRA HEAVY LOCKING ELECTRONIC READ LID				
C3H-T	11-1/2"	20"	50.5	418.00
C32H-T	11-1/2"	18"	44.7	345.51
♦ Optional ERT Bracket: Add "-BR" to end of catalog number, add to list price.....				\$ 7.86

TOP LIDS ONLY FOR TYPE C COVERS



CATALOG NUMBER	DESCRIPTION LID SIZE* AND TYPE	APPROX. WT. LBS.	LIST PRICE
LOCKING PLASTIC LID			
CX3LP	11-1/2" Plastic (overlapping)	3.0	\$ 62.52
CX3LP-BR	11-1/2" Plastic (overlapping) w/ ERT Bracket	3.1	70.39
LOCKING TOP LIDS ONLY			
C1L	8"	5.3	46.33
C2L	9-1/2"	8.3	67.92
**C3L	11-1/2"	10.3	73.25
C3LH	11-1/2" Extra Heavy	17.3	117.06
C5L	15"	18.9	159.05
LOCKLESS TOP LID ONLY			
C3L-LL	11-1/2"	12.6	73.25
LOCKING ELECTRONIC READ TOP LIDS ONLY			
C1L-T	8"	5.7	51.65
**C3L-T	11-1/2"	11.3	78.58
C3LH-T	11-1/2" Extra Heavy	17.3	122.39
C5L-T	15"	18.9	164.38
LOCKING DOUBLE ELECTRONIC TOP LIDS ONLY			
C3L-TT	11-1/2"	11.9	83.89
C5L-TT	15"	18.7	169.70

Note: Locking lids are supplied with a standard pentagon bolt. If a large bolt is desired, add "-LB" to the catalog number.


Example: C3-LB is a C3 cover with a large bolt on the locking lid. Large bolt option supplied at same price.

* Lid size indicates approximate pit access opening; actual lid diameter is approximately 1" larger.

** Available with the word "SEWER" at no extra charge. Add "-SEWER" to the catalog number.


FORD TYPE X SINGLE LID COVERS

OVERLAPPING STYLE TOPLID WITH HINGED LID SUPPORT ON FRAME, 4" COVER DEPTH



CATALOG NUMBER	DESCRIPTION		APPROX. WT. LBS.	LIST PRICE
	Lid Size*	TILE I.D.		
TYPE X COVER WITH PLASTIC LOCKING LID				
♦ X32P	11-1/2"	18"	21.7	\$ 143.41
♦ X3P	11-1/2"	20"	30.0	196.45
♦ X4P	11-1/2"	21"	35.0	279.51
TYPE X COVER WITH LOCKING LID				
X32	11-1/2"	18"	30.9	163.53
X3	11-1/2"	20"	38.2	216.57
X43	13-1/2"	20"	41.5	256.38
X4	11-1/2"	21"	39.1	299.61
TYPE X COVER WITH LOCKING ELECTRONIC READ LID				
X32-T	11-1/2"	18"	30.7	168.86
X3-T	11-1/2"	20"	38.0	221.90
X43-T	13-1/2"	20"	41.3	261.72
X4-T	11-1/2"	21"	38.9	304.95
TYPE X COVER WITH LOCKING DOUBLE ELECTRONIC READ LID				
X32-TT	11-1/2"	18"	30.5	174.18
X3-TT	11-1/2"	20"	37.8	227.22
X4-TT	11-1/2"	21"	38.7	310.27

TOP LIDS ONLY FOR TYPE X COVERS



CATALOG NUMBER	DESCRIPTION LID SIZE* AND TYPE	APPROX. Wt. LBS.	LIST PRICE
LOCKING PLASTIC LID			
CX3LP	11-1/2" Plastic (overlapping)	3.0	\$ 62.52
CX3LP-BR	11-1/2" Plastic (overlapping) w/ ERT Bracket	3.1	70.39
LOCKING LIDS ONLY			
X3L	11-1/2"	12.1	82.63
**X43L	13-1/2"	16.3	121.86
LOCKING ELECTRONIC READ LIDS ONLY			
X3L-T	11-1/2"	11.9	87.96
X43L-T	13-1/2"	16.1	127.17
LOCKING DOUBLE ELECTRONIC READ LID			
X3L-TT	11-1/2"	11.7	93.28
X43L-TT	13-1/2"	15.9	132.51

Note: Locking lids are supplied with a standard pentagon bolt. If a large bolt is desired, add "-LB" to the catalog number.

Example: X3-LB is an X3 cover with a large bolt on the locking lid. Large bolt option supplied at no extra charge.

** Available with the word "SEWER" at no extra charge. Add "-SEWER" to the catalog number.

FORD PMBC-3 PLASTIC SINGLE LID COVER

OVERLAPPING STYLE TOP LID, 4" COVER DEPTH



CATALOG NUMBER	DESCRIPTION		APPROX. WT. LBS.	LIST PRICE
	LID SIZE*	TILE I.D.		
PLASTIC COVER WITH LOCKING LID				
♦ PMBC-3	11"	18" and 20"	8.6	\$ 133.21

Note: For plastic meter box cover with a large pentagon bolt, add "-LB" to catalog number (PMBC-3-LB). Not available with lockless lid or electronic read feature.

LID ONLY AND FRAME ONLY FOR PMBC-3


CATALOG NUMBER	DESCRIPTION	LIST PRICE
♦ PMBC-3L	Lid only for PMBC-3	\$ 62.52
FPMBC-3	Frame only for PMBC-3	77.55

* Lid size indicates approximate pit access opening; actual lid diameter is approximately 1" larger.

♦ Optional ERT Bracket: Add "-BR" to end of catalog number, add to list price..... \$ 7.86

FORD EXTENSION RINGS

FOR WABASH, A, C, OR X TYPE COVERS





EXT-3
Shown

CATALOG NUMBER	DESCRIPTION / USAGE	APPROX. WT. LBS.	LIST PRICE
EXT-1	Adapts 18" Covers to 24" Tile	23.0	\$ 207.49
EXT-2	Adapts 20" Covers to 24" Tile	19.5	207.49
EXT-3	Adapts 18" Covers to 30" Tile	60.5	363.32
EXT-4	Adapts 20" Covers to 30" Tile	55.5	363.32
EXT-5	Adapts 20" Covers to 36" Tile	121.0	841.10

D

FORD ELEVATOR RINGS

FOR WABASH AND A OR C AND X TYPE COVERS




CATALOG NUMBER	DESCRIPTION / USAGE	APPROX. WT. LBS.	LIST PRICE
ER15CX	Raises Type C and X Covers 1-1/2"	6.8	\$ 75.44
ER3CX	Raises Type C and X Covers 3"	13.6	79.07
ER25AW	Raises Type A and Wabash Covers 2-1/2"	8.9	78.94
ER4AW	Raises Type A and Wabash Covers 4"	15.7	124.77

Note: Elevator rings are only for covers with 11-1/2" top lids.

FORD FLAT METER BOX COVERS

TYPE KA FLAT COVERS WITH INSET STYLE LIDS



CATALOG NUMBER	DESCRIPTION		APPROX. WT. LBS.	LIST PRICE
	LID SIZE*	TILE I.D.		
COVER WITH PLASTIC LOCKING LID				
▲ KA31PR	11-1/2"	15"	25.0	\$ 239.36
▲ KA32PR	11-1/2"	18"	29.9	303.51
COVER WITH LOCKING LID				
KA31	11-1/2"	15"	24.6	239.36
KA32	11-1/2"	18"	36.5	303.51
COVER WITH LOCKLESS LID				
KA31-LL	11-1/2"	15"	31.0	266.70
KA32-LL	11-1/2"	18"	36.6	330.93
COVER WITH LOCKING ELECTRONIC READ LID				
KA31-T	11-1/2"	15"	24.9	244.68
KA32-T	11-1/2"	18"	36.8	308.84
COVER WITH LOCKING DOUBLE ELECTRONIC READ LID				
KA31-TT	11-1/2"	15"	24.9	250.02
KA32-TT	11-1/2"	18"	36.8	314.17
▲ Optional ERT Bracket: Add "-BR" to end of catalog number, add to list price				\$ 7.86

TOP LIDS ONLY FOR TYPE KA FLAT COVERS



CATALOG NUMBER	DESCRIPTION LID SIZE*	APPROX. WT. LBS.	LIST PRICE
PLASTIC LOCKING LID			
WA3LP	11-1/2" Plastic	3.8	\$ 63.72
WA3LP-BR	11-1/2" Plastic w/ ERT bracket	4.0	71.60
LOCKING TOP LID ONLY			
**WA3L	11-1/2"	9.8	63.72
LOCKLESS TOP LID ONLY			
WA3L-LL	11-1/2"	9.8	91.14
LOCKING ELECTRONIC READ LID ONLY			
WA3L-T	11-1/2"	10.1	69.06
LOCKING DOUBLE ELECTRONIC READ LID			
WA3L-TT	11-1/2"	10.1	74.37


Note: Locking lids are supplied with a standard pentagon bolt. If a large bolt is desired, add "-LB" to the catalog number. Example: KA31-LB is a KA31 cover with a large bolt on the locking lid. Large bolt option supplied at no extra charge.

* Lid size indicates approximate pit access opening; actual lid diameter is approximately 1" larger.

** Available with the word "SEWER" at no extra charge. Add "-SEWER" to the catalog number.

FORD ONE PIECE FLAT COVERS

(no separate top lid)




CATALOG NUMBER	DESCRIPTION		APPROX. WT. LBS.	LIST PRICE
	LOCKING LID	LOCKLESS LID		
STANDARD ONE PIECE FLAT IRON COVER				
■ PPSC-15-L	15"	-	19.8	\$ 105.03
PPSC-15	-	15"	13.0	105.03
■ PPSC-18-L	18"	-	28.3	194.62
PPSC-18	-	18"	24.7	194.62
ELECTRONIC READ ONE PIECE FLAT IRON COVER				
■ PPSC-15-L-T	15"	-	19.8	\$ 110.35
PPSC-15-T	-	15"	13.0	110.35
PPSC-15-REC-T	-	15"	17.2	117.94
■ PPSC-18-L-T	18"	-	26.3	199.94
PPSC-18-T	-	18"	24.5	199.94
ELECTRONIC READ ONE PIECE FLAT IRON COVER (EXTRA HEAVY)				
PPSCH-15-REC-T	15"	-	17.2	\$ 275.00
DOUBLE ELECTRONIC READ ONE PIECE FLAT IRON COVER				
■ PPSC-15-L-TT	15"	-	19.8	\$ 115.68
PPSC-15-TT	-	15"	13.0	115.68
■ PPSC-18-L-TT	18"	-	26.3	205.25
PPSC-18-TT	-	18"	24.3	205.25
H-20 RATED COMPOSITE FLAT COVER				
▲ PPSC-15-L-P	15"	-	15.9	\$ 300.03
▲ PPSC-18-L-P	18"	-	23.4	364.59

■ Add "-BR" to end of catalog number for plastic ERT bracket, add to list price.....\$ 32.95

▲ Optional ERT Bracket: Add "-BR" to end of catalog number, add to list price.....\$ 7.86

FORD MONITOR COVERS FOR LARGE SETTINGS



CATALOG NUMBER	DESCRIPTION		DEPTH	APPROX. WT. LBS.	LIST PRICE
	LID SIZE*	TILE I.D.			
COVER WITH LOCKING LID					
♦ MC-24	20"	24"	7-1/2"	101.8	\$ 798.27
♦ MC-30	20"	30"	7-1/2"	139.8	965.74
♦ MC-36	20"	36"	8"	203.8	1430.83
♦ Add "-P" for optional plastic lid. Example: MC-36-P					
COVER WITH LOCKLESS LID					
MC-24-LL	20"	24"	7-1/2"	105.1	798.27
MC-30-LL	20"	30"	7-1/2"	143.1	965.74
MC-36-LL	20"	36"	8"	207.1	1430.83
COVER WITH LOCKING ELECTRONIC READ LID					
MC-24-T	20"	24"	7-1/2"	101.7	853.38
MC-30-T	20"	30"	7-1/2"	139.7	1020.84
MC-36-T	20"	36"	8"	203.7	1485.95
COVER WITH LOCKING TWO-HOLE ELECTRONIC READ LID					
MC-24-TT	20"	24"	7-1/2"	101.4	862.35
MC-30-TT	20"	30"	7-1/2"	139.4	1029.81
MC-36-TT	20"	36"	8"	203.4	1494.90
COVER WITH PLASTIC INNER LID AND LOCKING TOP LID					
♦ MC-24-MB	20"	24"	7-1/2"	103.4	897.58
♦ MC-30-MB	20"	30"	7-1/2"	141.3	1065.03
♦ MC-36-MB	20"	36"	8"	205.3	1530.12
♦ Add "-P" for optional plastic lid. Example: MC-36-MB-P					
COVER WITH PLASTIC INNER LID AND LOCKLESS TOP LID					
MC-24-MB-LL	20"	24"	7-1/2"	103.4	897.58
MC-30-MB-LL	20"	30"	7-1/2"	144.6	1065.03
MC-36-MB-LL	20"	36"	8"	208.6	1530.12
COVER WITH PLASTIC INNER LID AND LOCKING ELECTRONIC READ TOP LID					
MC-24-MB-T	20"	24"	7-1/2"	103.2	952.68
MC-30-MB-T	20"	30"	7-1/2"	141.2	1120.13
MC-36-MB-T	20"	36"	8"	205.2	1585.25
COVER WITH PLASTIC INNER LID AND LOCKING TWO-HOLE ELECTRONIC READ TOP LID					
MC-24-MB-TT	20"	24"	7-1/2"	102.9	961.64
MC-30-MB-TT	20"	30"	7-1/2"	140.9	1129.11
MC-36-MB-TT	20"	36"	8"	205.4	1594.20
MONITOR COVER WITH EXTRA HEAVY LOCKING LID					
MC-24H	20"	24"	7-1/2"	127.0	983.96
MC-30H	20"	30"	7-1/2"	165.0	1151.42
MC-36H	20"	36"	8"	229.0	1616.53
MONITOR COVER WITH EXTRA HEAVY LOCKING ELECTRONIC READ LID					
MC-24H-T	20"	24"	7-1/2"	126.5	1039.07
MC-30H-T	20"	30"	7-1/2"	164.5	1206.53
MC-36H-T	20"	36"	8"	228.5	1671.65
MONITOR COVER WITH EXTRA HEAVY LOCKING TWO-HOLE ELECTRONIC READ TOP LID					
MC-24H-TT	20"	24"	7-1/2"	120.5	1048.03
MC-30H-TT	20"	30"	7-1/2"	167.0	1215.50
MC-36H-TT	20"	36"	8"	209.0	1680.62
MONITOR COVER WITH DOUBLE EXTRA HEAVY LOCKING LID					
MC-24HH	20"	24"	7-1/2"	121.9	1032.90
MC-30HH	20"	30"	7-1/2"	167.0	1200.43
MC-36HH	20"	36"	8"	223.9	1665.51
MONITOR COVER WITH DOUBLE EXTRA HEAVY LOCKING ELECTRONIC READ TOP LID					
MC-24HH-T	20"	24"	7-1/2"	128.5	1088.02
MC-30HH-T	20"	30"	7-1/2"	166.5	1255.53
MC-36HH-T	20"	36"	8"	230.5	1720.62
MONITOR COVER WITH DOUBLE EXTRA HEAVY LOCKING TWO-HOLE ELECTRONIC READ TOP LID					
MC-30HH-TT	20"	30"	7-1/2"	164.0	1264.52

Note: Locking lids are supplied with a standard pentagon bolt. If a large bolt is desired, add "-LB" to the catalog number.

Example: MC-30-LB is a MC-30 cover with a large bolt on the locking lid. Large bolt option supplied at no extra charge.


* Lid size indicates approximate pit access opening; actual lid diameter is approximately 1" larger.

FORD MONITOR COVERS (CONTINUED)

FOR LARGE SETTINGS

CATALOG NUMBER	DESCRIPTION		DEPTH	APPROX. WT. LBS.	LIST PRICE
	LID SIZE*	TILE I.D.			
MONITOR COVER WITH PLASTIC INNER LID AND EXTRA HEAVY LOCKING LID					
MC-24H-MB	20"	24"	7-1/2"	123.7	\$ 1083.26
MC-30H-MB	20"	30"	7-1/2"	166.5	1250.73
MC-36H-MB	20"	36"	8"	230.5	1715.84
MONITOR COVER WITH PLASTIC INNER LID AND EXTRA HEAVY LOCKING ELECTRONIC READ TOP LID					
MC-24H-MB-T	20"	24"	7-1/2"	128.0	1138.37
MC-30H-MB-T	20"	30"	7-1/2"	162.2	1305.83
MC-36H-MB-T	20"	36"	8"	230.0	1770.95
MONITOR COVER WITH PLASTIC INNER LID AND EXTRA HEAVY LOCKING TWO-HOLE ELECTRONIC READ TOP LID					
MC-24H-MB-TT	20"	24"	7-1/2"	123.7	1147.33
MC-30H-MB-TT	20"	30"	7-1/2"	162.2	1314.81
MC-36H-MB-TT	20"	36"	8"	224.0	1779.93
MONITOR COVER WITH PLASTIC INNER LID AND LOCKING DOUBLE EXTRA HEAVY LID					
MC-24HH-MB	20"	24"	7-1/2"	123.4	1132.22
MC-30HH-MB	20"	30"	7-1/2"	161.4	1299.73
MC-36HH-MB	20"	36"	8"	225.4	1764.81
MONITOR COVER WITH PLASTIC INNER LID AND DOUBLE EXTRA HEAVY LOCKING ELECTRONIC READ TOP LID					
MC-24HH-MB-T	20"	24"	7-1/2"	130.0	1187.34
MC-30HH-MB-T	20"	30"	7-1/2"	161.4	1354.84
MC-36HH-MB-T	20"	36"	8"	232.0	1819.92
MONITOR COVER WITH PLASTIC INNER LID AND DOUBLE EXTRA HEAVY LOCKING TWO-HOLE ELECTRONIC READ TOP LID					
MC-24HH-MB-TT	20"	24"	7-1/2"	123.4	1196.29
MC-30HH-MB-TT	20"	30"	7-1/2"	161.4	1363.82
MC-36HH-MB-TT	20"	36"	8"	225.4	1828.89

TOP LIDS ONLY FOR MONITOR COVERS



CATALOG NUMBER	DESCRIPTION LID SIZE* AND TYPE	APPROX. WT. LBS.	LIST PRICE
LOCKING TOP LIDS			
RML-1	20"	36.6	\$ 254.21
RMLP-1	20" (Plastic)	12.6	254.21
RML-11	20" Extra Heavy	61.8	439.89
RML-12	20" Double Extra Heavy	56.7	488.88
LOCKLESS TOP LID			
RML-1-LL	20"	39.9	254.21
LOCKING ELECTRONIC READ TOP LID			
RML-1-T	20"	36.5	309.32
RML-11-T	20" Extra Heavy	61.3	495.07
RML-12-T	20" Double Extra Heavy	63.3	543.99
LOCKING DOUBLE ELECTRONIC READ TOP LID			
RML-1-TT	20"	36.2	318.28
RML-11-TT	20" Extra Heavy	55.3	503.98

Note: Locking lids are supplied with a standard pentagon bolt. If a large bolt is desired, add "-LB" to the catalog number. For example: RML-1-LB is a RML-1 with a large bolt. Large bolt option supplied at no extra charge.

PARTS FOR MONITOR COVERS

CATALOG NUMBER	DESCRIPTION	APPROX. WT. LBS.	LIST PRICE
MB	Plastic Monitor Cover Inner Lid	1.5	\$ 99.30
PR	Monitor Cover Ring (with lid recess) 6" in Height	42.7	337.80
FL-24	Monitor Cover Flange Only for 24" I.D. Tile	22.5	206.45
FL-30	Monitor Cover Flange Only for 30" I.D. Tile	60.5	373.67
FL-36	Monitor Cover Flange Only for 36" I.D. Tile	124.5	844.64
PRR-2	2" Riser Ring for Monitor Cover (includes hook and nut set)	24.5	257.81
PRR-2-HOOK-NUT-SET	Two Hooks and Two Nuts for Attaching 2" Riser Ring	0.2	24.41

* Lid size indicates approximate pit access opening; actual lid diameter is approximately 1" larger.


FORD REPLACEMENT PARTS FOR MONITOR COVERS

PARTS FOR MONITOR COVERS

CATALOG NUMBER	DESCRIPTION	APPROX. WT. LBS.	LIST PRICE
PR	Ring (with lid recess) 6" in Height for Rectangular Pit Cover	42.7	\$ 337.80
PRR-2	2" Riser Ring for Rectangular Pit Cover (raises lid opening 2")	24.5	257.81
RR-1	PR Ring (with lid recess) with Standard Weight Top Lid (RML-1)	79.3	569.47
RR-11	PR Ring (with lid recess) with Extra Heavy Top Lid (RML-11)	104.5	740.75
RR-12	PR Ring (with lid recess) with Double Extra Heavy Top Lid (RML-12)	99.4	784.78
RR-1-T	PR Ring (with lid recess) with Standard Weight Top Lid (RML-1) with Electronic Read Lid	79.2	624.59
RR-11-T	PR Ring (with lid recess) with Extra Heavy Top Lid (RML-11) with Electronic Read Lid	104.0	795.88
RR-12-T	PR Ring (with lid recess) with Double Extra Heavy Top Lid (RML-12) with Electronic Read Lid	115.0	839.95

D

FORD PIT RING AND LID



CATALOG NUMBER	DESCRIPTION		APPROX. WT. LBS.	LIST PRICE
	LID SIZE* AND TYPE	FLANGED RING O.D.		
WITH LOCKING LID				
10	20"	26"	67.6	\$ 528.64
11	20" Extra Heavy	26"	92.8	714.33
12	20" Dbl. Ex. Hvy.	26"	87.7	763.66
WITH LOCKLESS LID				
10-LL	20"	26"	70.9	528.64
WITH LOCKING ELECTRONIC READ LID				
10-T	20"	26"	67.5	583.79
11-T	20" Extra Heavy	26"	92.3	769.44
12-T	20" Dbl. Ex. Hvy	26"	94.3	818.80
WITH LOCKING DOUBLE ELECTRONIC READ LID				
10-TT	20"	26"	67.2	592.74

PIT RING PARTS

CATALOG NUMBER	DESCRIPTION	APPROX. WT. LBS.	LIST PRICE
RPR	Ring Only for Pit Ring (26" O.D. flange, 3" depth)	31.0	\$ 273.19
PRR-2	2" Riser Ring for Pit Ring (raises lid opening 2")	24.5	257.81

For top lids only use table on page D-11 titled "Top Lids Only for Monitor, Pit and Rectangular Covers."

Note: Locking lids are supplied with a standard pentagon bolt. If a large bolt is desired, add "-LB" to the catalog number.
Example: 10-LB is a 10 cover with a large bolt on the locking lid. Large bolt option supplied at no extra charge.


FORD SPECIAL SPIKED COVER

INSET STYLE TOP LID WITH ANCHOR SPIKES ON FRAME, 4" COVER DEPTH



CATALOG NUMBER	DESCRIPTION		APPROX. WT. LBS.	LIST PRICE
	LID SIZE* AND TYPE	TILE I.D.		
COVER WITH PLASTIC LOCKING LID				
▲ A32CP	11-1/2"	18"	28.0	\$ 206.42
COVER WITH LOCKING LID				
A32C	11-1/2"	18"	33.0	217.14
A32CH	11-1/2" Ex. Hvy.	18"	40.3	271.91
COVER WITH LOCKLESS LID				
A32C-LL	11-1/2"	18"	34.0	217.14
COVER WITH LOCKING ELECTRONIC READ LID				
A32C-T	11-1/2"	18"	34.3	222.46
COVER WITH LOCKING DOUBLE ELECTRONIC READ LID				
A32C-TT	11-1/2"	18"	34.0	227.78

LIDS ONLY FOR SPECIAL SPIKED COVER



CATALOG NUMBER	DESCRIPTION LID SIZE* AND TYPE	APPROX. WT. LBS.	LIST PRICE
LOCKING PLASTIC LID			
CX3LP	11-1/2" Plastic (overlapping)	3.0	\$ 62.52
CX3LP-BR	11-1/2" Plastic (overlapping) w/ ERT Bracket	3.1	70.39
LOCKING LIDS ONLY			
**C3L	11-1/2"	10.3	73.25
C3LH	11-1/2" Ex. Hvy.	17.3	117.06
LOCKLESS LID ONLY			
C3L-LL	11-1/2"	12.6	73.25
LOCKING ELECTRONIC READ LID ONLY			
C3L-T	11-1/2"	11.3	73.25
LOCKING DOUBLE ELECTRONIC READ LID ONLY			
C3L-TT	11-1/2"	11.9	83.89

Note: Locking lids are supplied with a standard pentagon bolt. If a large bolt is desired, add "-LB" to the catalog number.

Example: An A32C-LB is an A32C cover with a large bolt on the locking lid. Large bolt option supplied at no extra charge.

* Lid size indicates approximate pit access opening; actual lid diameter is approximately 1" larger.

** Available with the word "SEWER" at no extra charge. Add "-SEWER" to the catalog number.

▲ Optional ERT Bracket: Add "-BR" to end of catalog number, add to list price\$ 7.86

FORD ADJUSTABLE COVER


INSET STYLE TOP LID WITH ADJUSTABLE FRAME HEIGHT, 3-1/4"–6-1/2" COVER DEPTH



CATALOG NUMBER	DESCRIPTION		APPROX. WT. LBS.	LIST PRICE
	LID SIZE*	TILE I.D.		
ADJUSTABLE COVER WITH PLASTIC LOCKING LID				
▲ 32BP	11-1/2"	18"	44.5	\$ 340.38
ADJUSTABLE COVER WITH LOCKING LID				
32B	11-1/2"	18"	50.9	351.11
ADJUSTABLE COVER WITH LOCKLESS LID				
32B-LL	11-1/2"	18"	46.0	351.11
ADJUSTABLE COVER WITH LOCKING ELECTRONIC READ LID				
32B-T	11-1/2"	18"	51.9	356.44
ADJUSTABLE COVER WITH LOCKING DOUBLE ELECTRONIC READ LID				
32B-TT	11-1/2"	18"	46.0	361.76

D

TOP LIDS ONLY FOR ADJUSTABLE COVER



CATALOG NUMBER	DESCRIPTION Lid Size*	APPROX. Wt. LBS.	LIST PRICE
LOCKING PLASTIC LID			
CX3LP	11-1/2" Plastic (overlapping)	3.0	\$ 62.52
CX3LP-BR	11-1/2" Plastic (overlapping) w/ ERT Bracket	3.1	70.39
LOCKING LID ONLY			
**C3L	11-1/2"	10.3	73.25
LOCKLESS LID ONLY			
C3L-LL	11-1/2"	12.6	73.25
LOCKING ELECTRONIC READ LID ONLY			
C3L-T	11-1/2"	11.3	78.58
LOCKING DOUBLE ELECTRONIC READ LID ONLY			
C3L-TT	11-1/2"	11.9	83.89

Note: Locking lids are supplied with a standard pentagon bolt. If a large bolt is desired, add "-LB" to the catalog number. Example: 32B-LB is a 32B cover with a large bolt on the locking lid. Large bolt option supplied at no extra charge.

* Lid size indicates approximate pit access opening; actual lid diameter is approximately 1" larger.

** Available with the word "SEWER" at no extra charge. Add "-SEWER" to the catalog number.

▲ Optional ERT Bracket: Add "-BR" to end of catalog number, add to list price.....\$ 7.86