



FORD METER YOKES

SECTION E

Ford Yoke Numbering System



Example of a complete Yoke meter setting using a 500 Series Yoke Bar, an Angle Ball Inlet Valve, a standard Expansion Connection and an Angle Cartridge Dual Check Outlet Valve.

TYPE OF INLET OR OUTLET VALVE/FITTING

- AV = Angle Key Yoke Valve
- B = Straight Ball Valve
- BA = Angle Ball Valve
- *C = Straight Coupling
- GA = Angle Compression Valve
- HA = Angle Check Valve
- HHA = Cascading Style Angle Dual Check Valve ▲
- HHCA = Cartridge Style Angle Dual Check Valve ▲
- HHCH = Cartridge Style Straight Dual Check Valve ▲
- HHS = Cascading Style Straight Dual Check Valve ▲
- HS = Straight Check Valve
- *L = 90° Elbow
- SG = Straight Compression Valve

* Valve size code number is not applicable
NOTE: All Ford Check Valves are accessible for in-line maintenance unless otherwise indicated.

▲ Dual check valves are available with enhanced chlorine/ chloramine resistance, insert "CR" into catalog number. Example HHCACR-323-NL.

YOKE PARTS AND OPTIONS

OPTIONAL FEATURES

- D = Drain/Test Valve
- G = Grip Joint Connection (3/4" - 2" CTS and 3/4" and 1" PEP)
- Q = Quick Joint
- R = 360° Rotation of Tee Head
- TD = Drain/Test Valve on Top of Fitting
- TW-Q = CTS Quick Joint water Tracer Wire Terminal (contact factory for pricing)
- U-AWT = Ultra-Tite (consists of components assembled watertight)
- W = Padlock Wings

B A 9 2 - 2 1 3 W-NL

TYPE OF INLETS - OUTLETS (one end - other end)

- 1 = Female Iron Pipe Threads
- 2 = Flare Copper Tube Nut
- 3 = Meter Nut or Flange
- 4 = Pack Joint for Plastic or Copper Tube* (CTS)
- 5 = Pack Joint for Iron Pipe
- 6 = Pack Joint for PE Pipe
- 7 = Pack Joint for PVC**/IPS PE Pipe
- 8 = Male Iron Pipe Threads
- 9 = Yoke Nose

* Ford Pack, Quick and Grip Joint compression connections, when used on copper, are designed for Type K or Type L copper only.

** Schedule 40 and 80 or DR9 and DR11 IPS PE

VALVE SIZE

- 2 = 5/8"
- 3 = 3/4"
- 4 = 1"

METER SIZE

- 1 = 5/8"
- 2 = 5/8" x 3/4" and 3/4"
- 4 = 1"

NO-LEAD

SERVICE LINE SIZE


- 1 = 1/2"
- 3 = 3/4"
- 4 = 1"

E


EXPANSION CONNECTIONS

(two rubber yoke end gaskets included for each expansion connection)

Standard


Wrench
Type

CATALOG NUMBER	DESCRIPTION	APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
EC-1-NL	Handwheel Type Expansion Connection for 5/8" Meter	0.7	15	\$ 42.33
EC-1W-NL	Wrench Type Expansion Connection for 5/8" Meter	0.5	30	42.33
EC-23-NL	Handwheel Type Expansion Connection for 5/8" x 3/4" and 3/4" Meter	0.9	10	47.96
EC-23W-NL	Wrench Type Expansion Connection for 5/8" x 3/4" and 3/4" Meter	0.7	20	47.96
EC-4-NL	Handwheel Type Expansion Connection for 1" Meter	1.6	5	80.57


LOCKING EXPANSION CONNECTIONS (AVAILABLE ON HANDWHEEL TYPE ONLY)Locking Expansion
Connection without
Security ScrewLocking Expansion
Connection with
Security Screw

CATALOG NUMBER	DESCRIPTION	APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
ECL-1-NL	Locking Handwheel Type Expansion Connection for 5/8" Meter less Security Screw	0.9	30	\$ 81.36
ECL-1-SSF-NL	Locking Handwheel Type Expansion Connection for 5/8" Meter with Security Screw	0.9	30	87.87
ECL-23-NL	Locking Handwheel Type Expansion Connection for 5/8" x 3/4" and 3/4" Meter less Security Screw	1.1	10	92.26
ECL-23-SSF-NL	Locking Handwheel Type Expansion Connection for 5/8" x 3/4" and 3/4" Meter with Security Screw	1.2	10	98.79
ECL-4-NL	Locking Handwheel Type Expansion Connection for 1" Meter less Security Screw	1.9	5	139.71
ECL-4-SSF-NL	Locking Handwheel Type Expansion Connection for 1" Meter with Security Screw	1.9	-	146.22
BOLT-800998-SSF	Security Screw (fits all sizes)	-	-	7.26
KEY-800999-SSF	Security Key / Tip Only for Locking Expansion Connection	-	-	83.34
NUT-DR-040072-SSF	Magnetic Nut Driver Less Key / Tip	0.3	-	43.58

Note: Rubber Yoke end gaskets included.

EXPANSION CONNECTIONS WITH CARTRIDGE CHECK VALVE(S)

CATALOG NUMBER	DESCRIPTION	APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
EC-1-OR-H2-NL	Handwheel Type Expansion Connection for 5/8" Meter with Dual Cartridge Check Valves	0.7	12	\$ 81.84
* EC-23-OR-H2-NL	Handwheel Type Expansion Connection for 5/8" x 3/4" and 3/4" Meter with Dual Cartridge Check Valves	1.0	10	87.50
EC-4-H1-NL	Handwheel Type Expansion Connection for 1" Meter with Single Cartridge Check Valve	1.7	4	126.07

LOCKING EXPANSION CONNECTIONS WITH CARTRIDGE CHECK VALVE(S)

CATALOG NUMBER	DESCRIPTION	APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
ECL-1-OR-H2-NL	Locking Handwheel Type Expansion Connection for 5/8" Meter less Security Screw, with Dual Cartridge Check Valves	0.9	10	\$ 120.92
ECL-1-OR-H2-SSF-NL	Locking Handwheel Type Expansion Connection for 5/8" Meter with Security Screw and Dual Cartridge Check Valves	0.9	30	127.41
* ECL-23-OR-H2-NL	Locking Handwheel Type Expansion Connection for 5/8" x 3/4" and 3/4" Meter less Security Screw, with Dual Cartridge Check Valves	1.3	10	131.78
* ECL-23-OR-H2-SSF-NL	Locking Handwheel Type Expansion Connection for 5/8" x 3/4" and 3/4" Meter with Security Screw and Dual Cartridge Check Valves	1.3	10	138.33
ECL-4-H1-NL	Locking Handwheel Type Expansion Connection for 1" Meter less Security Screw, with Single Cartridge Check Valve	2.0	5	185.23
ECL-4-H1-SSF-NL	Locking Handwheel Type Expansion Connection for 1" Meter with Security Screw and Single Cartridge Check Valve	2.0	-	191.71
BOLT-800998-SSF	Security Screw (fits all sizes)	-	-	7.26
KEY-800999-SSF	Security Screw Driver Bit	-	-	83.34
NUT-DR-040072-SSF	Magnetic Nut Driver Only (excludes security screw driver bit)	0.3	-	43.58

EXPANSION CONNECTION CHECK VALVE REPAIR KITS

CATALOG NUMBER	DESCRIPTION	APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
EC-1-OR-H2-RK	5/8" Dual Cartridge Repair Kit	-	-	\$ 32.36
EC-23-OR-H2-RK	5/8" x 3/4" or 3/4" Dual Cartridge Repair Kit	0.1	-	32.36
EC-4-H1-RK	1" Single Cartridge Repair Kit	0.1	-	26.34


* Add "-YOKE" to catalog number when using with Y202, Y502, Y502P, Y503 and Y503P yoke bars. Example: EC-23-OR-H2-YOKE-NL

IRON YOKE BARS

500 Series




500P Series




200 Series


CATALOG NUMBER	DESCRIPTION	APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
500 Series				
Y501	Iron Yoke Bar for 5/8" Meter	3.8	10	\$ 25.01
Y502	Iron Yoke Bar for 5/8" x 3/4" Meter	4.1	10	26.15
Y503	Iron Yoke Bar for 3/4" Meter	4.4	10	29.80
Y504	Iron Yoke Bar for 1" Meter	7.3	6	47.17
500 Series with Prongs for Support Pipe				
Y501P	Iron Yoke Bar with 3 Prongs, for 5/8" Meter	3.9	10	27.12
Y502P	Iron Yoke Bar with 3 Prongs, for 5/8" x 3/4" Meter	4.5	10	28.06
Y503P	Iron Yoke Bar with 3 Prongs, for 3/4" Meter	4.9	10	32.22
Y504P	Iron Yoke Bar with 1 Prong, for 1" Meter	7.3	6	49.11
200 Series with Integral Female Iron Pipe Thread Outlet				
Y201	Iron Yoke Bar with 3/4" FIP Outlet, for 5/8" Meter	2.2	12	33.49
Y202	Iron Yoke Bar with 3/4" FIP Outlet, for 5/8" x 3/4" Meter	4.2	12	33.66

ANGLE BALL VALVES FOR YOKES**FEMALE IRON PIPE THREAD BY METER YOKE NOSE**


CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE OUTLET	INLET SIZE			
BA91-213W-NL	5/8"	5/8"	3/4"	1.2	12	\$ 90.39
BA91-223W-NL	5/8"	5/8" x 3/4" and 3/4"	3/4"	1.2	12	90.39
BA91-313W-NL	3/4"	5/8"	3/4"	1.7	6	168.51
BA91-323W-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	1.7	6	168.51
BA91-344W-NL	3/4"	1"	1"	2.2	5	181.23
BA91-444W-NL	1"	1"	1"	2.5	4	230.12

FLARE COPPER BY METER YOKE NOSE

CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE OUTLET	INLET SIZE			
BA92-213W-NL	5/8"	5/8"	3/4"	1.6	8	\$ 106.87
BA92-223W-NL	5/8"	5/8" x 3/4" and 3/4"	3/4"	1.5	8	106.87
BA92-214W-NL	5/8"	5/8"	1"	1.9	-	136.32
BA92-224W-NL	5/8"	5/8" x 3/4" and 3/4"	1"	1.9	6	136.32
BA92-313W-NL	3/4"	5/8"	3/4"	2.0	5	179.93
▲ BA92-323W-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	2.0	5	179.93
BA92-344W-NL	3/4"	1"	1"	2.7	-	197.08
▲ BA92-444W-NL	1"	1"	1"	3.0	3	264.47

PACK JOINT FOR COPPER OR PLASTIC TUBING (CTS)* BY METER YOKE NOSE

CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE OUTLET	INLET SIZE			
▶♦ BA94-213W-NL	5/8"	5/8"	3/4"	1.5	8	\$ 108.55
▶♦ BA94-223W-NL	5/8"	5/8" x 3/4" and 3/4"	3/4"	1.5	8	108.55
▶ BA94-214W-NL	5/8"	5/8"	1"	1.7	8	137.46
▶ BA94-224W-NL	5/8"	5/8" x 3/4" and 3/4"	1"	1.7	-	137.46
▶♦ BA94-313W-NL	3/4"	5/8"	3/4"	1.9	5	185.04
▶♦ BA94-314W-NL	3/4"	5/8"	1"	2.1	-	204.71
▲▶♦ BA94-323W-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	1.9	5	185.04
▲▶♦ BA94-324W-NL	3/4"	5/8" x 3/4" and 3/4"	1"	2.1	4	204.71
▶ BA94-344W-NL	3/4"	1"	1"	2.5	-	224.45
▶♦ BA94-444W-NL	1"	1"	1"	2.8	5	252.44

PACK JOINT FOR PE* PIPE BY METER YOKE NOSE

CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE OUTLET	INLET SIZE			
▶ BA96-213W-NL	5/8"	5/8"	3/4"	1.6	-	\$ 113.94
▶ BA96-223W-NL	5/8"	5/8" x 3/4" and 3/4"	3/4"	1.6	-	113.94
▶ BA96-313W-NL	3/4"	5/8"	3/4"	2.1	4	191.46
▶ BA96-323W-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	2.1	4	191.46
▶ BA96-444W-NL	1"	1"	1"	3.2	-	268.65

OPTION INFORMATION FOR ITEMS ON THIS PAGE

* **Grip Joint** for CTS or PEP is available by inserting "-G" into the catalog number. Example: BA94-313W-G-NL

♦ **Quick Joint** is available by inserting "-Q" into the catalog number. Example: BA94-313W-Q-NL

▶ **Ultra-Tite** is available by inserting "-U-AWT" into the catalog number (consists of components assembled watertight).

Contact factory for pricing and availability. Example: BA94-313W-U-AWT-NL

For 360° rotation of tee-head insert "R" into the catalog number and add to price. Example: BA92-223WR-NL..... \$ 2.49

For reclaimed water tee-head insert "RW" into the catalog number. Example: BARW94-324W-NL

Add to price..... \$ 5.42

Valves with "W" listed above available only with padlock wings except for the BA94-313W-NL and BA94-323W-NL which are available without the "W".

▲ For Secura-Lok™ option, insert "SLB" into the catalog number and add to price..... 53.96

Example: BA94-323W-SLB-NL

Note: Angle ball valves are not available with drain / test valve option.


Note: Angle ball valves for Yokes are designed for one flow direction - from inlet to outlet (attach to inlet side of meter only).

Note: Ford Pack, Quick and Grip Joint compression connections, when used on copper, are designed for Type K or Type L copper only.

E


ANGLE KEY VALVES FOR YOKES

FEMALE IRON PIPE THREAD BY METER YOE NOSE




CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE	SERVICE LINE SIZE			
△ AV91-313W-NL	3/4"	5/8"	3/4"	1.2	12	\$ 64.29
△ AV91-323W-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	1.2	12	64.29
AV91-314W-NL	3/4"	5/8"	1"	1.3	12	71.00
AV91-324W-NL	3/4"	5/8" x 3/4" and 3/4"	1"	1.3	12	71.00
△ AV91-444W-NL	1"	1"	1"	1.9	6	102.62
△ ■ AV91-445-NL	1"	1"	1-1/4"	2.0	5	107.56

FLARE COPPER BY METER YOE NOSE




CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE	SERVICE LINE SIZE			
△ AV92-313W-NL	3/4"	5/8"	3/4"	1.5	10	\$ 78.31
△ AV92-323W-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	1.5	10	78.31
△ AV92-314W-NL	3/4"	5/8"	1"	1.8	8	89.04
△ AV92-324W-NL	3/4"	5/8" x 3/4" and 3/4"	1"	1.8	8	89.04
△ AV92-444W-NL	1"	1"	1"	2.0	5	120.55
△ AV92-444WW-NL	1" Dbl Locking	1"	1"	2.6	-	125.61

PACK JOINT FOR COPPER OR PLASTIC TUBING (CTS)* BY METER YOE NOSE




CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE	SERVICE LINE SIZE			
▶♦△ AV94-313W-NL	3/4"	5/8"	3/4"	1.4	10	\$ 80.60
▶♦△ AV94-323W-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	1.4	10	80.60
▶△ AV94-314W-NL	3/4"	5/8"	1"	1.6	8	94.05
▶♦△ AV94-324W-NL	3/4"	5/8" x 3/4" and 3/4"	1"	1.5	8	94.05
▶♦△ AV94-444W-NL	1"	1"	1"	2.3	5	127.35

PACK JOINT FOR PIPE (PE)* BY METER YOE NOSE



CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE	SERVICE LINE SIZE			
▶△ AV96-313W-NL	3/4"	5/8"	3/4"	1.6	8	\$ 94.05
▶△ AV96-323W-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	1.6	8	94.05
▶ AV96-444W-NL	1"	1"	1"	2.6	4	139.71

PACK JOINT FOR PVC/IPS PE PIPE BY METER YOE NOSE



CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE	SERVICE LINE SIZE			
AV97-313W-NL	3/4"	5/8"	3/4"	1.6	-	\$ 94.05
AV97-323W-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	1.6	8	94.05

NOTE: Ford Pack Joints for PVC are recommended for Schedule 40 and Schedule 80 pipe and IPS PE DR9 and DR11 only.

OPTION INFORMATION FOR ANGLE KEY VALVES

* **Grip Joint** for CTS or PEP is available by inserting "G" into the catalog number. Example: AV94-323W-G-NL

♦ **Quick Joint** is available by inserting "-Q" into the catalog number. Example: AV94-323W-Q-NL

▶ **Ultra-Tite** is available by inserting "-U-AWT" into the catalog number (consists of components assembled watertight).
Contact factory for pricing and availability. Example: AV94-444W-U-AWT-NL


△ Indicates drain / test valve available - change "W" to "D" on the catalog number and add to price. \$ 19.86
(This option does not include padlock wings.)

Valves with "W" listed above available only with padlock wings.

■ Indicates padlock wing **NOT** available.

Note: Ford Pack, Quick and Grip Joint compression connections, when used on copper, are designed for Type K or Type L copper only.

ANGLE COMPRESSION VALVES FOR YOKES



FEMALE IRON PIPE THREAD BY METER YOE NOSE

CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE	SERVICE LINE SIZE			
GA91-313-NL	3/4"	5/8"	3/4"	1.4	8	\$ 83.86
GA91-323-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	1.4	8	83.86
GA91-314-NL	3/4"	5/8"	1"	1.6	-	91.56
GA91-324-NL	3/4"	5/8" x 3/4" and 3/4"	1"	1.5	6	91.56
GA91-444-NL	1"	1"	1"	2.2	6	138.59

FLARE COPPER BY METER YOE NOSE

CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE	SERVICE LINE SIZE			
GA92-313-NL	3/4"	5/8"	3/4"	1.7	6	\$ 95.47
GA92-323-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	1.6	-	95.47
GA92-444-NL	1"	1"	1"	2.9	4	159.89

PACK JOINT FOR COPPER OR PLASTIC TUBING (CTS)* BY METER YOE NOSE

CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE	SERVICE LINE SIZE			
▶ GA94-313-NL	3/4"	5/8"	3/4"	1.6	8	\$ 101.24
▶ GA94-323-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	1.7	-	101.24
▶ GA94-444-NL	1"	1"	1"	2.6	8	214.36

* Grip Joint for CTS is available by inserting "-G" into the catalog number. Example: GA94-323-G-NL

▶ Ultra-Tite is available by inserting "-U-AWT" into the catalog number (consists of components assembled watertight). Contact factory for pricing and availability. Example: GA94-323W-U-AWT-NL


Note: Ford Pack, Quick and Grip Joint compression connections, when used on copper, are designed for Type K or Type L copper only.

E

STRAIGHT BALL VALVES FOR YOKES


FEMALE IRON PIPE THREAD BY METER YOE NOSE

CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE	SERVICE LINE SIZE			
B91-213D-NL	5/8"	5/8"	3/4"	1.2	-	\$ 99.23
B91-213W-NL	5/8"	5/8"	3/4"	1.2	12	86.22
B91-213WD-NL	5/8"	5/8"	3/4"	1.4	8	111.36
B91-223D-NL	5/8"	5/8" x 3/4" and 3/4"	3/4"	1.3	-	99.23
B91-223W-NL	5/8"	5/8" x 3/4" and 3/4"	3/4"	1.2	12	86.22
B91-223WD-NL	5/8"	5/8" x 3/4" and 3/4"	3/4"	1.2	-	111.36
B91-313W-NL	3/4"	5/8"	3/4"	1.8	8	145.88
B91-314W-NL	3/4"	5/8"	1"	1.9	-	152.88
B91-323W-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	1.8	8	145.88
B91-324W-NL	3/4"	5/8" x 3/4" and 3/4"	1"	1.8	8	152.88
B91-344W-NL	3/4"	1"	1"	2.2	5	157.62
B91-444W-NL	1"	1"	1"	2.5	5	193.23



FLARE COPPER BY METER YOE NOSE

CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE	SERVICE LINE SIZE			
B92-213D-NL	5/8"	5/8"	3/4"	1.6	-	\$ 118.44
B92-213W-NL	5/8"	5/8"	3/4"	1.5	9	98.51
B92-213WD-NL	5/8"	5/8"	3/4"	1.6	-	133.33
B92-223D-NL	5/8"	5/8" x 3/4" and 3/4"	3/4"	1.6	-	118.44
B92-223W-NL	5/8"	5/8" x 3/4" and 3/4"	3/4"	1.5	-	98.51
B92-223WD-NL	5/8"	5/8" x 3/4" and 3/4"	3/4"	1.6	-	133.33
B92-313W-NL	3/4"	5/8"	3/4"	2.1	6	158.39
B92-314W-NL	3/4"	5/8"	1"	2.3	6	171.64
B92-323W-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	2.0	6	158.39
B92-324W-NL	3/4"	5/8" x 3/4" and 3/4"	1"	2.3	6	171.64
B92-344W-NL	3/4"	1"	1"	2.7	6	176.37



OPTION INFORMATION FOR ITEMS ON THIS PAGE:

For 360° rotation of tee-head insert "R" into the catalog number and add to price. Example: B92-223WR-NL . . . \$ 2.49

For reclaimed water tee-head insert "RW" into the catalog number. Example: BRW91-324W-NL


Add to price \$ 5.42

Note: Compression valves do not have padlock wings or drain / test valve options.

Note: Ford Pack, Quick and Grip Joint compression connections, when used on copper, are designed for Type K or Type L copper only.

STRAIGHT BALL VALVES FOR YOKES (CONTINUED)

PACK JOINT FOR COPPER OR PLASTIC TUBING (CTS)* BY METER YOKE NOSE



CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE	SERVICE LINE SIZE			
► B94-213WD-NL	5/8"	5/8"	3/4"	1.6	-	\$ 135.64
► B94-213W-NL	5/8"	5/8"	3/4"	1.5	-	104.97
► B94-223WD-NL	5/8"	5/8" x 3/4" and 3/4"	3/4"	1.6	-	135.64
▲► B94-223W-NL	5/8"	5/8" x 3/4" and 3/4"	3/4"	1.5	9	104.97
► B94-313W-NL	3/4"	5/8"	3/4"	2.0	6	163.39
► B94-323W-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	2.0	6	163.39
► B94-314W-NL	3/4"	5/8"	1"	2.1	-	176.68
► B94-324W-NL	3/4"	5/8" x 3/4" and 3/4"	1"	2.1	6	176.68
► B94-344W-NL	3/4"	1"	1"	2.5	5	186.42

* Grip Joint for CTS is available by inserting "-G" into the catalog number. Example: B94-323W-G-NL

◆ Quick Joint is available by inserting "-Q" into the catalog number. Example: B94-323W-Q-NL

► Ultra-Tite is available by inserting "-U-AWT" into the catalog number (consists of components assembled watertight).


Contact factory for pricing and availability. Example: B94-323W-U-AWT-NL

▲ For Secura-Lok™ option, insert "SLB" into the catalog number and add to price \$3.96

Example: BA94-223W-SLB-NL

Note: Ford Pack, Quick and Grip Joint compression connections, when used on copper, are designed for Type K or Type L copper only.

PACK JOINT FOR PE* PIPE BY METER YOKE NOSE




CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE	SERVICE LINE SIZE			
► B96-213W-NL	5/8"	5/8"	3/4"	1.6	-	\$ 117.22
► B96-223W-NL	5/8"	5/8" x 3/4" and 3/4"	3/4"	1.6	9	117.22
► B96-313W-NL	3/4"	5/8"	3/4"	2.2	6	169.98
► B96-323W-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	2.1	6	169.98
► B96-314W-NL	3/4"	5/8"	1"	2.7	-	187.83
► B96-324W-NL	3/4"	5/8" x 3/4" and 3/4"	1"	2.6	-	187.83
► B96-344W-NL	3/4"	1"	1"	3.1	3	197.50

* Grip Joint for PEP is available by inserting "-G" into the catalog number. Example: B96-323W-G-NL

► Ultra-Tite is available by inserting "-U-AWT" into the catalog number (consists of components assembled watertight).

Contact factory for pricing and availability. Example: B96-323W-U-AWT-NL

PACK JOINT FOR PVC/IPS PE PIPE BY METER YOKE NOSE




CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE	SERVICE LINE SIZE			
B97-213W-NL	5/8"	5/8"	3/4"	1.6	-	\$ 117.22
B97-223W-NL	5/8"	5/8" x 3/4" and 3/4"	3/4"	1.6	9	117.22

Note: Ford Pack Joints for PVC are recommended for Schedule 40 and Schedule 80 pipe and IPS PE DR9 and DR11 only.

For reclaimed water tee-head insert "RW" into the catalog number. Example: BRW94-324W-NL

Add to price \$ 5.42

STRAIGHT COMPRESSION VALVES FOR YOKES



FEMALE IRON PIPE THREAD BY METER YOKE NOSE

CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE	SERVICE LINE SIZE			
SG91-444-NL	1"	1"	1"	2.4	5	\$ 174.10



FLARE COPPER BY METER YOKE NOSE

CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE	SERVICE LINE SIZE			
SG92-313-NL	3/4"	5/8"	3/4"	1.9	-	\$ 108.38
SG92-323-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	1.9	-	108.38

OPTION INFORMATION FOR ITEMS ON THIS PAGE:

For 360° rotation of tee-head insert "R" into the catalog number and add to price. Example: B96-323WR-NL..... \$ 2.49

Valves with "W" listed above available only with padlock wings.

Note: Compression valves do not have padlock wings or drain / test valve options.


STRAIGHT YOKE OUTLET PIECES

METER YOKE NOSE BY FEMALE IRON PIPE THREAD




CATALOG NUMBER	DESCRIPTION		APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	METER SIZE	SERVICE LINE SIZE			
Δ C91-13-NL	5/8"	3/4"	0.4	42	\$ 19.74
C91-14-NL	5/8"	1"	0.7	30	26.52
Δ C91-23-NL	5/8" x 3/4" and 3/4"	3/4"	0.4	42	19.74
C91-24-NL	5/8" x 3/4" and 3/4"	1"	0.6	30	26.52
C91-44-NL	1"	1"	0.8	20	32.67
C91-45-NL	1"	1-1/4"	1.2	10	42.70

METER YOKE NOSE BY FLARE COPPER



CATALOG NUMBER	DESCRIPTION		APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	METER SIZE	SERVICE LINE SIZE			
C92-11-NL	5/8"	1/2"	0.6	-	\$ 33.76
C92-13-NL	5/8"	3/4"	0.8	20	32.05
C92-23-NL	5/8" x 3/4" and 3/4"	3/4"	0.8	20	32.05
C92-44-NL	1"	1"	1.5	10	50.76


METER YOKE NOSE BY PACK JOINT FOR COPPER OR PLASTIC TUBING (CTS)*



CATALOG NUMBER	DESCRIPTION		APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	METER SIZE	SERVICE LINE SIZE			
▶♦ C94-13-NL	5/8"	3/4"	0.8	20	\$ 36.99
▶♦ C94-23-NL	5/8" x 3/4" and 3/4"	3/4"	0.7	20	36.99
▶♦ C94-44-NL	1"	1"	1.2	10	60.54

Note: Ford Pack, Quick and Grip Joint compression connections, when used on copper, are designed for Type K or Type L copper only.

METER YOKE NOSE BY MALE IRON PIPE THREAD



CATALOG NUMBER	DESCRIPTION		APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	METER SIZE	SERVICE LINE SIZE			
C98-13-NL	5/8"	3/4"	0.5	25	\$ 21.91
C98-23-NL	5/8" x 3/4" and 3/4"	3/4"	0.5	25	21.91
** C98-44-AWT-NL	1"	1"	1.0	36	58.28

** This item is two pieces assembled watertight.

OPTION INFORMATION FOR ITEMS ON THIS PAGE:

* **Grip Joint** for CTS is available by inserting "-G" into the catalog number. Example: C94-23-G-NL

♦ **Quick Joint** is available by inserting "-Q" into the catalog number. Example: C94-23-Q-NL


▶ **Ultra-Tite** is available by inserting "-U-AWT" into the catalog number (consists of components assembled watertight).

Contact factory for pricing and availability. Example: C94-23-U-AWT-NL

Δ Indicates drain / test valve available - insert "D" into the catalog number and add to price.....\$ 24.89
Example: C91-23D-NL


YOKE ELLS

METER YOKE NOSE BY FEMALE IRON PIPE THREAD




CATALOG NUMBER	DESCRIPTION		APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	METER SIZE	SERVICE LINE SIZE			
↑Δ L91-13-NL	5/8"	3/4"	0.6	20	\$ 22.67
↑Δ L91-14-NL	5/8"	1"	0.8	15	29.33
↑Δ L91-23-NL	5/8" x 3/4" and 3/4"	3/4"	0.6	20	22.67
↑Δ L91-24-NL	5/8" x 3/4" and 3/4"	1"	0.8	15	29.33
↑Δ L91-44-NL	1"	1"	1.2	10	40.02
L91-45-NL	1"	1-1/4"	1.5	10	50.08

METER YOKE NOSE BY FLARE COPPER



CATALOG NUMBER	DESCRIPTION		APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	METER SIZE	SERVICE LINE SIZE			
↑Δ L92-13-NL	5/8"	3/4"	0.9	15	\$ 33.22
Δ L92-14-NL	5/8"	1"	1.2	8	43.96
↑Δ L92-23-NL	5/8" x 3/4" and 3/4"	3/4"	0.9	15	33.22
Δ L92-24-NL	5/8" x 3/4" and 3/4"	1"	1.2	8	43.96
Δ L92-44-NL	1"	1"	1.6	6	58.06


METER YOKE NOSE BY PACK JOINT FOR COPPER OR PLASTIC TUBING (CTS)*



CATALOG NUMBER	DESCRIPTION		APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	METER SIZE	SERVICE LINE SIZE			
▶↑Δ L94-13-NL	5/8"	3/4"	0.8	18	\$ 38.43
▶Δ L94-14-NL	5/8"	1"	1.1	10	53.94
▶↑Δ L94-23-NL	5/8" x 3/4" and 3/4"	3/4"	0.8	18	38.43
▶Δ L94-24-NL	5/8" x 3/4" and 3/4"	1"	1.0	10	53.94
▶↑Δ L94-44-NL	1"	1"	1.3	8	68.10


Note: Ford Pack, Quick and Grip Joint compression connections, when used on copper, are designed for Type K or Type L copper only.

METER YOKE NOSE BY PACK JOINT FOR PE* PIPE



CATALOG NUMBER	DESCRIPTION		APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	METER SIZE	SERVICE LINE SIZE			
▶Δ L96-13-NL	5/8"	3/4"	1.1	10	\$ 53.94
▶Δ L96-23-NL	5/8" x 3/4" and 3/4"	3/4"	1.0	10	53.94
▶ L96-24-NL	5/8" x 3/4" and 3/4"	1"	1.5	-	70.09
▶ L96-44-NL	1"	1"	1.8	5	85.02

METER YOKE NOSE BY PACK JOINT FOR PVC/IPS PE PIPE



CATALOG NUMBER	DESCRIPTION		APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	METER SIZE	SERVICE LINE SIZE			
Δ L97-13-NL	5/8"	3/4"	1.3	10	\$ 53.94
Δ L97-23-NL	5/8" x 3/4" and 3/4"	3/4"	1.1	12	53.94

Note: Ford Pack Joints for PVC are recommended for Schedule 40 and Schedule 80 pipe and IPS PE DR9 and DR11 only.

OPTION INFORMATION FOR ITEMS ON THIS PAGE:

* **Grip Joint** for CTS or PEP is available by inserting "-G" into the catalog number. Example: L94-23-G-NL

♦ **Quick Joint** is available by inserting "-Q" into the catalog number. Example: L94-23-Q-NL


▶ **Ultra-Tite** is available by inserting "-U-AWT" into the catalog number (consists of components assembled watertight). Contact factory for pricing and availability. Example: L94-23-U-AWT-NL

Δ Indicates drain / test valve available - insert "D" into the catalog number and add to price. Example: L94-23D-NL. \$ 24.89

↑ Indicates drain / test valve on top (not on side of fitting) - insert "TD" into the catalog number and add to price. \$ 24.89
Example: L94-23TD-NL


CHECK VALVES FOR YOKES

CARTRIDGE STYLE ANGLE DUAL CHECK VALVES - (top accessible)



METER YOKE NOSE INLET BY FEMALE IRON PIPE THREAD OUTLET

CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE INLET	OUTLET SIZE			
↑ HHCA91-313-NL	3/4"	5/8"	3/4"	1.6	8	\$ 159.05
↑ HHCA91-323-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	1.6	8	159.05
↑ HHCA91-324-NL	3/4"	5/8" x 3/4" and 3/4"	1"	1.8	5	175.98
↑ HHCA91-344-NL	3/4"	1"	1"	2.1	4	175.98
↑ HHCA91-444-NL	1"	1"	1"	2.9	4	283.07



METER YOKE NOSE INLET BY FLARE COPPER OUTLET

CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE INLET	OUTLET SIZE			
↑ HHCA92-313-NL	3/4"	5/8"	3/4"	2.1	5	\$ 191.82
↑ HHCA92-323-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	2.1	5	191.82
↑ HHCA92-424-NL	1"	5/8" x 3/4" and 3/4"	1"	3.4	4	297.84
↑ HHCA92-444-NL	1"	1"	1"	3.7	4	310.29




METER YOKE NOSE INLET BY PACK JOINT FOR COPPER OR PLASTIC TUBING (CTS)* OUTLET

CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE INLET	OUTLET SIZE			
▶♦↑ HHCA94-313-NL	3/4"	5/8"	3/4"	2.0	5	\$ 193.68
▶♦↑ HHCA94-323-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	2.0	5	193.68
▶↑ HHCA94-324-NL	3/4"	5/8" x 3/4" and 3/4"	1"	2.1	5	210.59
▶↑ HHCA94-414-NL	1"	5/8"	1"	3.0	-	300.47
▶↑ HHCA94-424-NL	1"	5/8" x 3/4" and 3/4"	1"	3.2	4	300.47
▶♦↑ HHCA94-444-NL	1"	1"	1"	3.4	4	312.92

Note: Ford Pack, Quick and Grip Joint compression connections, when used on copper, are designed for Type K or Type L copper only.

CARTRIDGE STYLE STRAIGHT DUAL CHECK VALVES - (accessible)



METER YOKE NOSE INLET BY FEMALE IRON PIPE THREAD OUTLET

CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE INLET	OUTLET SIZE			
↑ HHCH91-313-NL	3/4"	5/8"	3/4"	2.0	8	\$ 171.76
↑ HHCH91-323-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	1.9	8	171.76

OPTION INFORMATION FOR ITEMS ON THIS PAGE:

* **Grip Joint** for CTS is available by inserting "-G" into the catalog number. Example: HHCA94-323-G-NL

♦ **Quick Joint** is available by inserting "-Q" into the catalog number. Example: HHCA94-323-Q-NL

▶ **Ultra-Tite** is available by inserting "-U-AWT" into the catalog number (consists of components assembled watertight). Contact factory for pricing and availability. Example: HHCA94-323-U-AWT-NL

Cartridges are available with enhanced chlorine / chloramine resistance. Add "CR" at the end of the alpha code.

Example: HHCA91-313-NL. Add to price for 3/4" valve size \$ 39.02

Add to price for 1" valve size \$ 49.47

↑ Indicates drain / test valve (drains inlet) on the top of access cap available (not on side of check).

Insert "D" into the catalog number and add to price. Example: HHCA94-323D-NL \$ 24.89

CHECK VALVES FOR YOKES (CONTINUED)

ANGLE DUAL CHECK VALVES FOR YOKES - (accessible)

METER YOKE NOSE INLET BY FEMALE IRON PIPE THREAD OUTLET




CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE INLET	OUTLET SIZE			
• Δ HHA91-313-NL	3/4"	5/8"	3/4"	1.4	10	\$ 137.19
• Δ HHA91-323-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	1.4	10	137.19
• Δ HHA91-344-NL	3/4"	1"	1"	1.9	8	163.04

METER YOKE NOSE INLET BY FLARE COPPER OUTLET



CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE INLET	OUTLET SIZE			
• Δ HHA92-313-NL	3/4"	5/8"	3/4"	1.8	6	\$ 153.72
• Δ HHA92-323-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	1.8	6	153.72

METER YOKE NOSE INLET BY PACK JOINT FOR COPPER OR PLASTIC TUBING (CTS)* OUTLET



CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE INLET	OUTLET SIZE			
•▶ Δ HHA94-313-NL	3/4"	5/8"	3/4"	1.7	6	\$ 156.46
•▶♦ Δ HHA94-323-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	1.7	6	156.46

Note: Ford Pack, Quick and Grip Joint compression connections, when used on copper, are designed for Type K or Type L copper only.

METER YOKE NOSE INLET BY PACK JOINT FOR PE* PIPE OUTLET



CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE INLET	OUTLET SIZE			
•▶ Δ HHA96-313-NL	3/4"	5/8"	3/4"	2.0	6	\$ 181.52
•▶ Δ HHA96-323-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	1.9	6	181.52

ANGLE CHECK VALVES FOR YOKES - (accessible)

METER YOKE NOSE INLET BY FEMALE IRON PIPE THREAD OUTLET




CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE INLET	OUTLET SIZE			
Δ HA91-313-NL	3/4"	5/8"	3/4"	1.2	12	\$ 75.59
Δ HA91-323-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	1.2	12	75.59
Δ HA91-444-NL	1"	1"	1"	1.6	8	90.28

METER YOKE NOSE INLET BY FLARE COPPER OUTLET



CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE INLET	OUTLET SIZE			
Δ HA92-313-NL	3/4"	5/8"	3/4"	1.6	8	\$ 92.49
Δ HA92-323-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	1.6	8	92.49


METER YOKE NOSE INLET BY PACK JOINT FOR COPPER OR PLASTIC TUBING (CTS)* OUTLET



CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE INLET	OUTLET SIZE			
▶ Δ HA94-313-NL	3/4"	5/8"	3/4"	1.5	8	\$ 95.22
▶♦ Δ HA94-323-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	1.5	8	95.22
* HA94-324-NL	3/4"	5/8" x 3/4" and 3/4"	1"	1.5	5	102.75

Note: Ford Pack, Quick and Grip Joint compression connections, when used on copper, are designed for Type K or Type L copper only.

METER YOKE NOSE INLET BY PACK JOINT FOR PE* PIPE OUTLET



CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE INLET	OUTLET SIZE			
▶ HA96-313-NL	3/4"	5/8"	3/4"	1.6	8	\$ 102.22
▶ HA96-323-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	1.9	8	102.22

OPTION INFORMATION FOR ITEMS ON THIS PAGE:

* **Grip Joint** for CTS or PEP is available by inserting "G" into the catalog number. Example: HA94-323-G-NL

♦ **Quick Joint** is available by inserting "Q" into the catalog number. Example: HA94-323-Q-NL

▶ **Ultra-Tite** is available by inserting "U-AWT" into the catalog number (consists of components assembled watertight). Contact factory for pricing and availability. Example: HA94-323-U-AWT-NL

Δ Indicates drain / test valve available - insert "D" into the catalog number and add to price. Example: HA92-323D-NL.....\$ 24.89


• Dual check valves are available with enhanced chlorine/chloramine resistant components. Add "CR" to the end of the alpha code. Example: HHACR-91-313-NL

Add to price for cascading style.....\$19.04

CHECK VALVES FOR YOKES (CONTINUED)

STRAIGHT DUAL CHECK VALVES FOR YOKES - (accessible)


METER YOKE NOSE INLET BY FEMALE IRON PIPE THREAD OUTLET



CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE INLET	OUTLET SIZE			
• HHS91-313-NL	3/4"	5/8"	3/4"	1.6	8	\$ 148.29
• HHS91-323-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	1.6	8	148.29
• HHS91-344-NL	3/4"	1"	1"	2.3	5	165.28

STRAIGHT CHECK VALVES FOR YOKES - (accessible)

METER YOKE NOSE INLET BY FEMALE IRON PIPE THREAD OUTLET



CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.	STD. PKG. QTY.	LIST PRICE
	VALVE SIZE	METER SIZE INLET	OUTLET SIZE			
HS91-313-NL	3/4"	5/8"	3/4"	1.2	12	\$ 68.76
HS91-323-NL	3/4"	5/8" x 3/4" and 3/4"	3/4"	1.2	12	68.76
HS91-444-NL	1"	1"	1"	1.7	8	83.33

RUBBER YOKE END GASKETS (to seal on yoke nose of yoke valves and fittings)

E



CATALOG NUMBER	DESCRIPTION AND USAGE				APPROX. WT. LBS.*	STD. PKG. QTY.	LIST PRICE
	GASKET SIZE	METER SIZE	I.D.	O.D.			
GT-112	5/8"	5/8"	11/16"	1-3/32"	4.0	500	\$ 0.49
GT-118	3/4"	5/8" x 3/4"	13/16"	1-11/32"	6.0	400	0.65
GT-123	1"	1"	1-1/16"	1-21/32"	9.0	300	0.75

*Weights for gaskets are for standard package quantities.

EXPANSION CONNECTION GASKETS

BEVELED RUBBER GASKETS FOR EXPANSION CONNECTIONS

(to place between expansion connection thimble/nose piece and handwheel)



CATALOG NUMBER	DESCRIPTION			APPROX. WT. LBS.*	STD. PKG. QTY.	LIST PRICE
	GASKET SIZE	METER SIZE	EX. CON. NO.			
GT-32	5/8"	5/8"	EC-1-NL	4.0	1000	\$ 1.37
GT-33	3/4"	5/8" x 3/4" and 3/4"	EC-23-NL	1.75	250	1.67
GT-34	1"	1"	EC-4-NL	1.8	500	2.18

*Weights for gaskets are for standard package quantities.

FLAT RUBBER GASKETS FOR EXPANSION CONNECTIONS

(to place into the female meter thread end of expansion connection body)



CATALOG NUMBER	DESCRIPTION AND USAGE					APPROX. WT. LBS.*	STD. PKG. QTY.	LIST PRICE
	GASKET SIZE	METER SIZE	EX. CON. NO.	I.D.	O.D.			
GT-210	5/8"	5/8"	EC-1-NL	11/16"	31/32"	3.0	500	\$ 1.23
GT-196	3/4"	5/8" x 3/4" and 3/4"	EC-23-NL	13/16"	1-7/32"	2.5	300	1.58
GT-211	1"	1"	EC-4-NL	1-1/8"	1-9/16"	4.5	500	1.84

*Weights for gaskets are for standard package quantities.

PETERSBURG COUPLING GASKETS



CATALOG NUMBER	GASKET SIZE	LIST PRICE
GT-257	3/4"	\$ 2.28
GT-121	1"	2.76


Inside and outside diameters of rubber yoke end and flat composition gaskets are given to avoid error.

All rubber yoke end and flat composition expansion connection gaskets are 1/8" thick.



- Dual check valves are available with enhanced chlorine/chloramine resistant components. Add "CR" to the end of the alpha code.
Example: HHSCR-91-313-NL

Add to price for cascading style.....\$19.04

SPECIAL YOKE PARTS



E



CATALOG NUMBER	DESCRIPTION	APPROX. WT. LBS.	LIST PRICE
Handle for Angle Key Valves			
RHT-3	Lever handle for attachment to existing tee-head of 3/4" Angle Key Valves (may be ordered factory assembled on valves if specified)	0.3	\$ 9.55
RHT-4	Lever handle for attachment to existing tee-head of 1" Angle Key Valves (may be ordered factory assembled on valves if specified)	0.3	9.55
Drain / Test Valve Screw			
TVS-NL	Drain / Test Valve Screw for 3/4" and 1" Valves and Ells	0.1	5.91
Asheville Couplings			
C9F1-23-NL	3/4" Asheville Coupling for extending service line. Screws onto nose of yoke valve or fitting for 5/8" through 3/4" meter and has 3/4" female iron pipe threads. (includes composition gasket)	0.4	20.26
C9F1-44-NL	1" Asheville Coupling. Same as C9F1-23-NL (above) except for valve or fitting for 1" meter and has 1" female iron pipe threads.	0.7	66.56
Petersburg Straight Couplings			
C9F2-23-NL	3/4" Petersburg Straight Coupling for extending service line. Screws onto nose of Yoke valve or fitting for 5/8" through 3/4" meter and has 3/4" flare copper connection. (includes composition gasket)	0.7	30.38
C9F2-44-NL	1" Petersburg Straight Coupling. Same as C9F2-23-NL (above) except for valve or fitting for 1" meter and has 1" flare copper connection.	1.0	79.49
Petersburg Ell Couplings			
L9F2-23-NL	3/4" Petersburg Ell Coupling. Same as C9F2-23-NL (above) except 90° Ell.	0.9	36.06
L9F2-44-NL	1" Petersburg Ell Coupling. Same as C9F2-44-NL (above) except 90° Ell.	1.6	88.48

LOCK NUTS FOR YOKE VALVES AND FITTINGS

CATALOG NUMBER	DESCRIPTION	APPROX. WT. LBS.	LIST PRICE
YLN-1	Lock Nut for 5/8" Meter Size	0.1	\$ 3.62
YLN-23	Lock Nut for 5/8" x 3/4" and 3/4" Meter Size	0.1	3.62
YLN-4	Lock Nut for 1" Meter Size	0.2	6.36

LOCK CAP FOR ANGLE YOKE KEY VALVES

CATALOG NUMBER	DESCRIPTION AND USAGE	APPROX. WT. LBS.	LIST PRICE
AV-LOCKCAP-23	Lock Cap with Pin for Angle Yoke Valves for 5/8", 5/8" x 3/4" and 3/4" Meters	0.7	\$ 47.78
AV-LOCKCAP-PIN-23	Pin Only for AV-LOCKCAP-23	0.1	8.79

LOCK CAP FOR BALL VALVES

CATALOG NUMBER	DESCRIPTION AND USAGE	APPROX. WT. LBS.	LIST PRICE
BV-LOCKCAP-2	Lock Cap and Pin for 5/8" Ball Valve	0.6	\$ 54.90
BV-LOCKCAP-34	Lock Cap and Pin for 5/8" BH, 3/4" and 1" Ball Valves	0.9	64.68
BV-LOCKCAP-567	Lock Cap and Pin for 1-1/4", 1-1/2", and 2" Ball Valves	1.2	76.73
BV-LOCKCAP-PIN-2	Pin Only for BV-LOCKCAP-2	0.1	16.46
BV-LOCKCAP-PIN-34	Pin Only for BV-LOCKCAP-34	0.1	19.69
BV-LOCKCAP-PIN-567	Pin Only for BV-LOCKCAP-567	0.1	21.54

YOKE LOCK NUT SPANNER WRENCH

CATALOG NUMBER	DESCRIPTION AND USAGE	APPROX. WT. LBS.	LIST PRICE
YSW	Yoke Lock Nut Spanner Wrench for 5/8" through 1" Lock Nuts	0.3	\$ 9.35

EXPANSION CONNECTION WRENCHES (NOT COMPATIBLE WITH ECL LOCKING STYLE EXPANSION CONNECTIONS)

CATALOG NUMBER	DESCRIPTION AND USAGE	APPROX. WT. LBS.	LIST PRICE
YEW-1	Expansion Connection Wrench for 5/8" EC-1-NL and EC-1W-NL	0.8	\$ 20.58
YEW-3	Expansion Connection Wrench for 5/8" x 3/4" and 3/4" EC-23-NL and EC-23W-NL	0.9	22.67
YEW-4	Expansion Connection Wrench for 1" EC-4-NL	1.3	33.29

SERVICE INSULATOR ANGLE KEY VALVES FOR YOKES



CATALOG NUMBER	DESCRIPTION			COMPONENTS	LIST PRICE
	VALVE SIZE	METER SIZE	SERVICE LINE		
SI-AV92-313W-AWT-NL	3/4"	5/8"	3/4" Flare	AV91-314W-NL/DB-34/C28-33-NL AWT	\$ 127.09
SI-AV92-323D-AWT-NL	3/4"	5/8" x 3/4" and 3/4"	3/4" Flare	AV91-324D-NL/DB-34/C28-33-NL AWT	162.95
SI-AV92-324D-AWT-NL	3/4"	5/8" x 3/4" and 3/4"	1" Flare	AV91-324D-NL/DB-34/C28-43-NL AWT	179.67
SI-AV92-324W-AWT-NL	3/4"	5/8" x 3/4" and 3/4"	1" Flare	AV91-324W-NL/DB-34/C28-43-NL AWT	149.06
SI-AV92-444-AWT-NL	1"	1"	1" Flare	AV91-445-NL/DB-45/C28-44-NL AWT	191.52
SI-AV92-444D-AWT-NL	1"	1"	1" Flare	AV91-445D-NL/DB-45/C28-44-NL AWT	203.71

Note: These products are manufactured from components assembled watertight.

SERVICE INSULATOR ANGLE COMPRESSION VALVES FOR YOKES



CATALOG NUMBER	DESCRIPTION			COMPONENTS	LIST PRICE
	VALVE SIZE	METER SIZE	SERVICE LINE		
▶♦ SI-GA94-313-AWT-NL	3/4"	5/8"	3/4" Pack Joint (CTS)	GA91-314-NL/DB-34/C84-33-NL AWT	\$ 148.41
▶♦ SI-GA94-323-AWT-NL	3/4"	5/8" x 3/4" and 3/4"	3/4" Pack Joint (CTS)	GA91-324-NL/DB-34/C84-33-NL AWT	148.41
♦ SI-GA94-445-AWT-NL	1"	1"	1-1/4" Pack Joint (CTS)	GA92-444-NL/C08-44-NL/DB-45/C14-55-NL AWT	322.32


Note: These products are manufactured from components assembled watertight.

Grip Joint for CTS is available by inserting "-G" into the catalog number. Example: SI-GA94-313-G-AWT-NL

Quick Joint is available by inserting "-Q" into the catalog number. Example: SI-GA94-313-Q-AWT-NL

- ▶ Ultra-Tite is available by inserting "-U-AWT" into the catalog number (consists of components assembled watertight). Contact factory for pricing and availability. Example: SI-GA94-313-U-AWT-NL

SERVICE INSULATOR ANGLE DUAL CARTRIDGE CHECK VALVES FOR YOKES



CATALOG NUMBER	DESCRIPTION			COMPONENTS	LIST PRICE
	VALVE SIZE	METER SIZE	SERVICE LINE		
• SI-HHCA94-313D-AWT-Q-NL	3/4"	5/8"	3/4" Quick Joint (CTS)	HHCA91-313D-NL/950100/DB-34/C14-43-Q-NL/AWT	\$ 285.20
• SI-HHCA94-323D-AWT-Q-NL	3/4"	5/8" x 3/4" and 3/4"	3/4" Quick Joint (CTS)	HHCA91-323D-NL/950100/DB-34/C14-43-Q-NL/AWT	285.20
• SI-HHCA94-444D-AWT-Q-NL	1"	1"	1" Quick Joint (CTS)	HHCA91-444D-NL/950120/DB-45/C14-54-Q-NL/AWT	416.10

Note: These products are manufactured from components assembled watertight.

SERVICE INSULATOR YOKE ELLS



CATALOG NUMBER	DESCRIPTION		COMPONENTS	LIST PRICE
	METER SIZE	SERVICE LINE		
SI-L92-13-AWT-NL	5/8"	3/4" Flare	L91-14-NL/DB-34/C28-33-NL AWT	\$ 85.50
SI-L92-23-AWT-NL	5/8" x 3/4" and 3/4"	3/4" Flare	L91-24-NL/DB-34/C28-33-NL AWT	85.50
SI-L92-24-AWT-NL	5/8" x 3/4" and 3/4"	1" Flare	L91-24-NL/DB-34/C28-43-NL AWT	102.28
▶♦ SI-L94-13-AWT-NL	5/8"	3/4" Pack Joint (CTS)	L91-14-NL/DB-34/C84-33-NL AWT	84.99
▶♦ SI-L94-13D-AWT-NL	5/8"	3/4" Pack Joint (CTS)	L91-14D-NL/DB-34/C84-33-NL AWT	109.87
▶♦ SI-L94-23-AWT-NL	5/8" x 3/4" and 3/4"	3/4" Pack Joint (CTS)	L91-24-NL/DB-34/C84-33-NL AWT	89.42
▶♦ SI-L94-44D-AWT-NL	1"	1" Pack Joint (CTS)	L91-44D-NL/C18-54-NL/DB-45/C84-44-NL AWT	124.46

Note: These products are manufactured from components assembled watertight.

Grip Joint for CTS is available by inserting "-G" into the catalog number. Example: SI-L94-23-G-AWT-NL

- ♦ **Quick Joint** is available by inserting "-Q" into the catalog number. Example: SI-L94-23-Q-AWT-NL

- ▶ Ultra-Tite is available by inserting "-U-AWT" into the catalog number (consists of components assembled watertight). Contact factory for pricing and availability. Example: SI-L94-13-U-AWT-NL

- Dual check valves are available with enhanced chlorine/chloramine resistant components. Add "CR" to the end of the alpha code. Example: SI-HHCACR94-3130-AWT-Q-NL

Add to price for cascading style. \$19.04

Note: Ford Pack, Quick and Grip Joint compression connections, when used on copper, are designed for Type K or Type L copper only.