



FORD METER BOX TESTING EQUIPMENT SECTION K


Ford Test Bench Numbering System



Note: See item listings in catalog section to ensure that desired sizes and options are available.



Standard Test Bench
(with manual clamping)



Indianapolis Test Bench
(with hydraulic clamping)

K

Note: Items in this catalog section are not returnable and are subject to cancellation charges. Test benches and tanks are manufactured per order; they are not stocked items.

STANDARD TEST BENCHES

(for 5/8" through 1" meters)

CATALOG NUMBER		DESCRIPTION			APPROX. SHIP WT. LBS.	LIST PRICE	AMS LIST PRICE
FLOW LEFT TO RIGHT	FLOW RIGHT TO LEFT	NUMBER OF UNITS	LENGTH OF PAN	WIDTH OF PAN			
1STB-LR	1STB-RL	1	22"	14"	184.9	\$ 10825.92	P.O.A.
2STB-LR	2STB-RL	2	38"	16-1/2"	164.6	12800.53	P.O.A.
3STB-LR	3STB-RL	3	54"	16-1/2"	208.3	14703.09	P.O.A.
4STB-LR	4STB-RL	4	70"	16-1/2"	253.1	16088.32	P.O.A.
5STB-LR	5STB-RL	5	86"	16-1/2"	305.6	17484.76	P.O.A.
6STB-LR	6STB-RL	6	102"	16-1/2"	344.6	19463.40	P.O.A.
8STB-LR	8STB-RL	8	134"	16-1/2"	430.3	23314.22	P.O.A.
DOUBLE ROW STANDARD TEST BENCH							
8STB-DR-LR	8STB-DR-RL	8	76"	20"	700.0	27790.96	P.O.A.
16STB-DR-LR	16STB-DR-RL	16	140"	20"	673.3	37249.90	P.O.A.

Standard Test Benches include the following: Adapters and gaskets for 5/8", 5/8" x 3/4", 3/4" and 1" meters, ball valve at inlet and outlet, testerate indicator, pressure gauges at inlet and outlet, bleeder or adjusting valve at outlet of each unit, a drain valve at bench outlet, 18" copper swinging discharge pipe at outlet, and idlers for all but one meter testing station.

Note: Tester clamp for Standard Bench. Catalog number: TC \$ 1490.52

INDIANAPOLIS STYLE TEST BENCHES

(for 5/8" through 1" meters)

CATALOG NUMBER		DESCRIPTION			APPROX. SHIP WT. LBS.	LIST PRICE	AMS LIST PRICE
FLOW LEFT TO RIGHT	FLOW RIGHT TO LEFT	NUMBER OF UNITS	LENGTH OF PAN	WIDTH OF PAN		MANUAL BENCH	
SINGLE ROW INDIANAPOLIS TEST BENCHES							
110ITB-LR	110ITB-RL	10	102"	16-1/2"	650.0	\$ 36593.64	P.O.A.
112ITB-LR	112ITB-RL	12	118"	16-1/2"	700.0	42905.81	P.O.A.
DOUBLE ROW INDIANAPOLIS TEST BENCHES							
120ITB-DR-LR	120ITB-DR-RL	20	108"	20"	1000.0	69963.53	P.O.A.
124ITB-DR-LR	124ITB-DR-RL	24	124"	20"	1000.0	79393.51	P.O.A.

Indianapolis Test Benches include the following: Hydraulic cylinder at inlet for automatic clamping of meters, units or spaces for 10 or 12 meters as ordered, ball valve at inlet, testerate indicator outlet, pressure gauges at inlet and outlet, bleeder or adjusting valve at outlet of each unit, a drain valve at outlet of bench, 18" copper swinging discharge pipe at outlet of bench, all necessary gaskets and adapters, and idlers for all but one meter testing station.

Note: Tester clamp for 1" Indianapolis Bench. Catalog number: TC \$ 1490.52

AKRON STYLE TEST BENCHES

(for 1-1/2" through 2" meters)


CATALOG NUMBER		DESCRIPTION				APPROX. SHIP WT. LBS.	LIST PRICE MANUAL BENCH
FLOW LEFT TO RIGHT	FLOW RIGHT TO LEFT	NUMBER OF UNITS	MAX. MTR. SIZE	LENGTH OF PAN	WIDTH OF PAN		
1SATB-LR	1SATB-RL	1	17"	54"	16-1/2"	550.0	\$ 37008.74
2SATB-LR	2SATB-RL	2	17"	70"	16-1/2"	700.0	45069.90
3SATB-LR	3SATB-RL	3	17"	102"	16-1/2"	880.0	56392.45
4SATB-LR	4SATB-RL	4	17"	134"	16-1/2"	990.0	67316.42
1LATB-LR	1LATB-RL	1	21"	54"	16-1/2"	600.0	37416.11
2LATB-LR	2LATB-RL	2	21"	86"	16-1/2"	750.0	47111.41
3LATB-LR	3LATB-RL	3	21"	118"	16-1/2"	940.0	59193.32
4LATB-LR	4LATB-RL	4	21"	134"	16-1/2"	1090.0	69486.18

Akron Test Benches include the following: Hydraulic clamping cylinder and adjustable pedestal for each unit, 2" valve at inlet and outlet, bleeder or adjusting valve at outlet of each unit, pressure gauges at inlet and outlet of bench, digital indicator outlet with flow adjusting valve at bench outlet, all necessary adapters and gaskets for 1-1/2" and 2" flanged and tapped meters, 2" idlers for all but one meter testing station, and globe-style blow-off valve at outlet of bench.

Note: Prices will be quoted promptly on any special features desired on Akron Test Benches.
Swinging discharge pipes and adapters for smaller meters must be ordered separately for Akron Benches.
1-1/4" meter adapters sold separately.

Ordering Information for the Akron Bench

For best results, indicate on your order the meter sizes to be tested on your Akron Bench, including lengths and types of connections on meters (flanges, female threads, male threads).

TEST BENCH OPTIONS AND ACCESSORIES**DIGITAL INDICATOR OUTLET**

CATALOG NUMBER	DESCRIPTION	APPROX. WT. LBS.	LIST PRICE
TB-ADIO-LR	Digital Indicator Outlet for Akron Test Bench (Left to Right)	60.0	P.O.A.
TB-ADIO-RL	Digital Indicator Outlet for Akron Test Bench (Right to Left)	60.0	P.O.A.
TB-IDIO-LR	Digital Indicator Outlet for Indianapolis Test Bench (Left to Right)	30.2	P.O.A.
TB-IDIO-RL	Digital Indicator Outlet for Indianapolis Test Bench (Right to Left)	30.2	P.O.A.

FORD AUTO-STOP

The Test Bench Auto-Stop can be included on a new bench by adding "-ASC" or as a retro-fit kit on any existing Ford Test Bench by ordering components below. Contact the factory for pricing and order information.

Note: Auto-Stop requires a small air compressor (not included).

AUTO-STOP RETRO-FIT COMPONENTS

To order a complete unit, select the ASCB Control Box and one valve package. To include an optional drain package, select the DVPK Drain Valve Pilot Kit and a drain valve package.

COMPONENT	CATALOG NUMBER	DESCRIPTION	LIST PRICE
Control Box	ASCB	Auto-Stop Control Box	P.O.A.
Valve Package (select one)	OVPKG-4-LR	Outlet Valve Package for 1" NPT Outlets (complete outlet valve package for Standard and Indianapolis Benches) with left to right flow	P.O.A.
	OVPKG-4-RL	Outlet Valve Package for 1" NPT Outlets (complete outlet valve package for Standard and Indianapolis Benches) with right to left flow	P.O.A.
	OVPKG-7	Outlet Valve Package for 2" NPT Outlets (complete outlet valve package for Akron Benches)	P.O.A.
Optional Drainage Package (select DVPK and one Drain Valve Package)	DVPK	To automate tank drain, select the DVPK Drain Valve Pilot Kit and one or more of the Drain Valve Packages below	\$ 681.11
	DVPKG-4	Drain Valve Package for 1" NPT (drain valve for small tanks)	1187.11
	DVPKG-7	Drain Valve Package for 2" NPT (drain valve for mid-size tanks)	1701.18
	DVPKG-9	Drain Valve Package for 3" NPT (drain valve for large tanks)	5086.02

Note: To order a Drain Valve Package on a new tank that will be used with the Auto-Stop, first select the Drain Valve Pilot Kit (DVPK) as a separate line item. Then, add the Drain Valve Package price to the tank price and add "-DVP" to the end of the tank part number.

* To determine the proper drain valve kit for small, medium or large sized tanks, refer to the discharge size column from table listed on the next page.

For a replacement Auto-Stop tank water level sensor, for benches manufactured before 2023, order

TB-ASC-SENSOR-070512..... **\$ 539.38**

For a replacement Auto-Stop tank water level sensor, for benches manufactured during or after 2023, order

TB-ASC-SENSOR-070514..... **\$ 539.38**

INDICATORS FOR EXISTING BENCHES**TESTERATE INDICATOR (for Standard or Indianapolis Bench)**

CATALOG NUMBER	DESCRIPTION	APPROX. WT. LBS.	LIST PRICE
KTI	Testerate Indicator	15.1	\$ 4605.34
KTI-IG	Testerate Indicator with Imperial Gallon Calibrations	15.2	4751.79
KTI-L	Testerate Indicator with Liter Calibrations per Hour	15.2	4751.79
KTI-LM	Testerate Indicator with Liter Calibrations per Minute	22.9	4751.79

AMS (PATENT 11,860,009) OPTIONS

CATALOG NUMBER	DESCRIPTION	APPROX. WT. (LBS.)	LIST PRICE
ITB-AMSII-RK	Indy/Standard Bench AMSII Retrofit Kit	867.8	P.O.A.
ITB-DR-AMSII-RK	Double Row Indy Bench AMSII Retrofit Kit	592.1	P.O.A.
TB-DESICCANT-200704	Flow Valve Desiccant Dryer	0.2	\$ 110.04

MICRO TEST BOX

Designed for onsite field diagnostic testing to quickly analyze meter accuracy, or to be used as a temporary meter service.

Kit includes totalizing flow meter, inlet pressure gauge, inlet valve, outlet valve, and hose adapters.

CATALOG NUMBER	DESCRIPTION	LIST PRICE
MTB-G	Micro Test Box - gallons (imperial)	P.O.A.
MTB-L	Micro Test Box - liters (metric)	P.O.A.

Note: The Micro Test Box does not replace the need for a complete test bench with full testing capabilities.

CALIBRATED TESTING TANKS

STAINLESS STEEL

CATALOG NUMBER	NOMINAL SIZE	DIA.	Ht.	CALIBRATION POINTS	SIZE DISCHARGE	APPROX. SHIP WT. LBS.	LIST PRICE
10-GF-SS	10 gal.	9"	60"	10 and 5 gal. 1 cu. ft.	1"	126.6	P.O.A.
10-GF-SS-DGGS	10 gal.	9"	60"	10 and 5 gal. 1cu. ft.	1"	120.0	P.O.A.
20-GF-SS	3 cu. ft.	13"	60"	3 and 2 cu. ft. 20 and 10 gal.	1-1/2"	141.5	P.O.A.
10-FG-SS	10 cu. ft.	22"	60"	10 and 5 cu. ft. 70 and 30 gal.	1-1/2"	212.1	P.O.A.
10-FG-SS-DGGS	10 gal.	22"	60"	10 and 5 cu. ft. 70 and 30 gal.	1-1/2"	200.0	P.O.A.
100-GF-SS	100 gal.	26"	60"	100 and 50 gal. 10 cu. ft.	2"	255.6	P.O.A.
100-GF-SS-DGGS	100 gal.	26"	60"	100 and 50 gal. 10 cu. ft.	2"	240.0	P.O.A.
50-F-SS	50 cu. ft.	47"	72"	50 and 25 cu. ft.	3"	690.0	P.O.A.
50-F-SS-DGGS	50 cu. ft.	47"	72"	50 and 25 cu. ft.	3"	690.0	P.O.A.
500-G-SS	500 gal.	54"	72"	500 and 250 gal.	3"	883.3	P.O.A.
100-F-SS	100 cu. ft.	67"	72"	100 and 50 cu. ft.	3"	1230.0	P.O.A.
1000-G-SS	1000 gal.	73"	78"	1000 and 500 gal.	3"	1600.0	P.O.A.
1000-GF-SS	1000 gal.	73"	78"	1000 and 500 gal.and 100 cu. ft.	3"	1686.9	P.O.A.

OTHER TANKS AVAILABLE

STAINLESS STEEL

CATALOG NUMBER	NOMINAL SIZE	DIA.	Ht.	CALIBRATION POINTS	SIZE DISCHARGE	APPROX. SHIP WT. LBS.	LIST PRICE
25-L-SS-DGGS	25 liters	7"	60"	AS SPECIFIED BY PURCHASER	1"	110.0	P.O.A.
50-L-SS	50 liters	9"	60"		1"	126.6	P.O.A.
100-L-SS	100 liters	13"	60"		1-1/2"	141.5	P.O.A.
150-L-SS	150 liters	16"	60"		1-1/2"	215.0	P.O.A.
200-L-SS	200 liters	19"	60"		1-1/2"	275.0	P.O.A.
400-L-SS	400 liters	26"	60"		2"	255.6	P.O.A.
400-L-SS-DGGS	400 liters	26"	60"		2"	375.0	P.O.A.
500-L-SS	500 liters	30"	60"		2"	435.7	P.O.A.
500-L-SS-DGGS	500 liters	30"	60"		2"	420.0	P.O.A.
600-L-SS	600 liters	32"	60"		2"	480.0	P.O.A.
1000-L-SS	1 cu. meter	39"	72"		3"	505.0	P.O.A.
2000-L-SS	2 cu. meters	54"	72"		3"	970.0	P.O.A.
3000-L-SS	3 cu. meters	67"	72"		3"	1500.0	P.O.A.
4000-L-SS	4 cu. meters	73"	78"		3"	1925.0	P.O.A.
5000-L-SS	5 cu. meters	84"	78"		3"	2550.0	P.O.A.

AUTOMATED TANK DRAINS

To automate tank drain valve (when not using the Auto-Stop), select the TB-LVPKG (actuating lever) and 1 or more of the drain valve packages below.

	CATALOG NUMBER	COMPONENT	DESCRIPTION	LIST PRICE
Drain Package (select TB-LVPKG and one or more drain valve packages)	TB-LVPKG		Actuating Lever	681.11
		* DVPKG-4	Drain Valve Package for 1" NPT (drain valve kit for small tanks)	1187.11
		* DVPKG-6	Drain Valve Package for 1-1/2" NPT (drain valve kit for mid-size tanks)	1701.18
		* DVPKG-7	Drain Valve Package for 2" NPT (drain valve kit for mid-size tanks)	2039.48
		* DVPKG-9	Drain Valve Package for 3" NPT (drain valve kit for large tanks)	5086.02

Note: To order a Drain Valve Package on a new tank (that will not be used with an Auto-Stop), first select the Actuating Lever (TB-LVPKG) as a separate line item. Then, add the Drain Valve Package price to the tank price and add "-DVP" to the end of the tank part number.

* To determine the proper drain valve kit for small, medium or large sized tanks, refer to the discharge size column from the tables above.

PARTS FOR STANDARD TEST BENCHES

CATALOG NUMBER	DESCRIPTION	LIST PRICE
9552-NL	1" Inlet Ball Valve	\$ 562.06
9553-NL	1" x 1" Outlet Ball Valve	587.67
KTI	KTI Testrate Indicator	4605.34
9557-NL	18" Swinging Discharge Pipe - (standard length)	226.79
9558-NL	24" Swinging Discharge Pipe	261.17
9560	Pressure Gage Only, 0-200 PSI (1400 KPA)	179.59
9561	Pressure Gage with Nipple and Petcock	200.43
9562-S-A-NL	Blow-off Valve and Discharge Tube for Standard or Akron Bench	288.60
9563-LR	Inlet Piece with Expansion Connection / Left to Right Flow	479.00
9563-RL	Inlet Piece with Expansion Connection / Right to Left Flow	479.00
9564-LR	90° Outlet Piece with Sides Tapped for Blow-Off Valve and Pressure Gage / Left to Right Flow	167.72
9564-RL	90° Outlet Piece with Sides Tapped for Blow-Off Valve and Pressure Gage / Right to Left Flow	167.72
9565-LR	Intermediate Piece with Expansion Connection and Bleeder Valve Assembly / Left to Right Flow	544.50
9565-RL	Intermediate Piece with Expansion Connection and Bleeder Valve Assembly / Right to Left Flow	544.50
9566-S	Bleeder Valve Assembly with Screw, O-ring and Drain Tube (for Standard Test Bench)	63.44
9567-NL	Bleeder Valve Screw with O-ring	24.28
9568-67-NL	Bleeder Valve Body with Screw and O-ring	54.16
ORING-650012-EP	O-ring for Bleeder Valve Screw	0.41
9568-NL	Bleeder Valve Body Only (with plastic seat)	27.22
9569	Drain Tube Only for Bleeder Valve (for Standard and Indianapolis Test Benches)	23.78
9570	Expansion Connection Barrel Piece only	124.52
9571	Expansion Connection Handwheel only	124.52
9572	Beveled Gland Ring	39.90
GT-62	Beveled Rubber Expansion Connection Gasket (replaces beveled leather gasket)	8.61
GT-166	Rubber Gasket for 5/8" Meters	1.70
GT-118	Rubber Gasket for 5/8" x 3/4" or 3/4" Meters (priced from section E)	0.65
GT-124	Rubber Gasket for 1" Meters (priced from section H)	1.84
GT-166-BAG-30	Rubber Gasket for 5/8" Meters (Qty=30)	50.80
GT-118-BAG-30	Rubber Gasket for 5/8" x 3/4" or 3/4" Meters (priced from section E) (Qty=30)	19.59
GT-124-BAG-30	Rubber Gasket for 1" Meters (priced from section H) (Qty=30)	55.16
9578	Tester Yoke only	226.41
9579	Set of Adapters for 5/8", 5/8" x 3/4" and 3/4" Meters (per tester unit)	340.71
9580	5/8" Screw-in Adapter for Standard Test Bench	88.46
9581	5/8" Slide Adapter for Standard Test Bench	42.97
9582	5/8" x 3/4" Screw-in Adapter for Standard Test Bench	88.70
9583	5/8" x 3/4" and 3/4" Slide Adapter for Standard Test Bench	45.15
9584	3/4" Screw-in Adapter for Standard Test Bench	76.80
9586	Set O-ring Gaskets for KTI Standard Testrate Indicator	17.00
9731	Nylon Seat for Bleeder Valve Assembly	1.92

PARTS FOR INDIANAPOLIS TEST BENCHES

The following parts are the same as on Standard Benches: 1" inlet and outlet valves; testrate indicators and parts; swinging discharge pipes; pressure gage; bleeder valve bodies; rubber gaskets; pans and legs.

CATALOG NUMBER	DESCRIPTION	LIST PRICE
9562-I-NL	Blow-off Valve and Discharge Tube for Indianapolis Bench	\$ 288.60
9566-I	Bleeder Valve Assembly with Screw, O-ring and Drain Tube (for Indianapolis Test Bench)	72.78
ORING-650012-EP	O-ring for Bleeder Valve Screw	0.41
9569	Drain Tube only for Bleeder Valve (for Standard and Indianapolis Test Benches)	23.78
9588	Short Dolly Assembly	990.17
9592-2-LR	Indianapolis Clamping Cylinder, Less 4-way Valve and Piping for 5/8" x 3/4" and 3/4" Bench, Left to Right Flow	1825.42
9592-2-RL	Indianapolis Clamping Cylinder, Less 4-way Valve and Piping for 5/8" x 3/4" and 3/4" Bench, Right to Left Flow	1825.42
9592-4-LR	Indianapolis Clamping Cylinder, Less 4-way Valve and Piping for 1" Bench, Left to Right Flow	1825.42
9592-4-RL	Indianapolis Clamping Cylinder, Less 4-way Valve and Piping for 1" Bench, Right to Left Flow	1825.42
9593	4-way Control Valve with Handle for Hydraulic Cylinder, Less Piping	715.51
9594-I	4-way Control Valve with Handle for Hydraulic Cylinder with Piping for Indianapolis Bench	930.31
9710	Set O-rings for Indianapolis Clamping Cylinder	47.60
9711-NL	5/8" Split Ring Adapter for 1" Indianapolis - benches ordered before April 2021	76.37
9712-NL	5/8" x 3/4" and 3/4" Split Ring Adapter for 1" Indianapolis - benches ordered before April 2021	76.37
9721-NL	5/8" Split Ring Adapter for 1" Indianapolis - benches ordered May 2021 or after	113.10
9722-NL	5/8" x 3/4" and 3/4" Split Ring Adapter for 1" Indianapolis - benches ordered May 2021 or after	114.00
9726-NL	5/8" Split Ring Adapter for 5/8" x 3/4" Indianapolis	76.37

K

PARTS FOR AKRON TEST BENCHES

CATALOG NUMBER	DESCRIPTION	LIST PRICE
9562-S-A-NL	Blow-off Valve and Discharge Tube for Standard or Akron Bench	\$ 288.60
9566-A	Bleeder Valve Assembly with Screw, O-ring and Drain Tube for Akron Bench	73.76
ORING-650012-EP	O-ring for Bleeder Valve Screw	0.41
9569-A	Drain Tube Only for Akron Bench Bleeder Valve	34.03
9555	Nordstrom® Valve Stick Lubricant, sold in box quantity only (20 pcs.)	58.30
TB-HV-7-DV-SS	2" Inlet Valve or Outlet Valve	1458.04
9598-LR	Inlet Clamping Cylinder, Less Pressure Gage, 4-way Control Valve and Piping, for Left to Right Flow	2253.58
9598-RL	Inlet Clamping Cylinder, Less Pressure Gage, 4-way Control Valve and Piping, for Right to Left Flow	2253.58
9599-LR	Intermediate Clamping Cylinder, Less Bleeder Valve, 4-way Control Valve and Piping, for Left to Right Flow	2253.58
9599-RL	Intermediate Clamping Cylinder, Less Bleeder Valve, 4-way Control Valve and Piping, for Right to Left Flow	2253.58
9600-NL	2" Idler (for 'S' Akron Test Benches)	1153.88
9601-NL	2" Idler (for 'L' Akron Test Benches)	1272.06
9602	Set O-rings for Akron Clamping Cylinder	47.48
9595	2" Swivel Union Only for Discharge Pipe	1174.32
SDP-7-NL	2" Swing Discharge Pipe 24" Reach (complete with swivel union)	1963.53
9593	4-way Control Valve for Hydraulic Cylinder, Less Piping	715.51
9594-A	4-way Control Valve for Hydraulic Cylinder with Piping for Akron Bench	930.31
9620-NL	2" Ball Valve for KTI-DR	629.82
TC-A	Tester Clamp for Akron Bench (approx. wt. lbs. - 135.0)	2702.97

OPTIONAL FEATURES FOR AKRON TEST BENCHES

CATALOG NUMBER	DESCRIPTION	LIST PRICE
AD-4	Adapters for Testing One 1" Meter	\$ 228.53
AD-3S	Adapters for Testing Two 5/8", 5/8" x 3/4" and One 3/4" Meter for "S" Akron Bench	1686.09
AD-3L	Adapters for Testing 5/8", 5/8" x 3/4" or 3/4" Meters for "L" Akron Bench	1887.93
SDP-7-NL	Add for 2" Swinging Discharge Pipe - 24" Reach	1963.53
TC-A	AKRON Tester Clamp for 3", 4", and 6" Flanged Meters (135 lbs.)	2702.97


METER ADAPTERS FOR AKRON BENCHES

CATALOG NUMBER	DESCRIPTION	APPROX. WT. LBS.	LIST PRICE
HT-30-NL	Centering Adapter for 2" Flanged Meter	0.1	\$ 190.59
HT-13-NL	Adapter for 2" Tapped Meter	1.3	170.09
HT-15-NL	Adapter for 1-1/2" Flanged Meter*	1.4	124.97
HT-32	Centering Adapter for 1-1/2" Tapped Meter - Used on Nose of HT-15-NL	0.1	37.41
HT-17-NL	Adapter for 1-1/4" Flanged Meter*	1.6	157.36
HT-15A-NL	Adapter for 1-1/4" Tapped Meter*	1.7	148.32
HT-36	Adapter for 1-1/4" or 1" x 1-1/4" Meter with Male Threads	1.4	144.72
HT-14	Adapter for 1" Meter*	1.8	114.61
HT-10	Slide Saddle Holder. Used for 5/8" and 5/8" x 3/4" Meters to Test Two in Each Unit. Holder Rests on Aluminum Channels.	8.5	424.77
HT-34	Slide Saddle for 5/8" Meters. Fits into HT-10*.	2.0	328.61
HT-34A	Slide Saddle for 5/8" x 3/4" and 3/4" Meters. Fits into HT-10*.	2.0	328.61
HT-12	Adapter for 5/8" Meters*	1.3	70.53
HT-12A	Adapter for 5/8" x 3/4" and 3/4" Meters*	1.3	72.50
9726-NL	Adapter for 5/8" Meters. Fits into HT-12A and HT-34A*.	0.1	76.37
HT-16	Adds 3-3/4" Extra Length. Used if Piston Travel is Insufficient for Clamping*.	3.2	215.34
HT-16-10	Adapter for 10" Long 2" Meter	2.4	215.34
HT-31-SS	Adds 1/2" Extra Length. Used if Piston Travel is Insufficient for Clamping*.	0.9	76.13


* Gaskets included for meter end(s) of adapters, spacers and slide saddles.

GASKETS FOR AKRON ADAPTERS

CATALOG NUMBER	DESCRIPTION	DIMENSIONS	LIST PRICE
GT-133	Rubber Gasket for HT-16 and for Clamping Cylinder	2-1/8" x 3-1/4" x 3/8"	\$ 7.43
GT-134	Rubber Gasket for HT-13	2-3/16" x 2-7/8" x 1/4"	7.43
GT-139	Rubber Gasket for HT-17-NL	1-7/32" x 2-1/8" x 5/16"	6.94
GT-129	Rubber Gasket for HT-15-NL and HT-15A-NL	1-15/32" x 2-3/8" x 5/16"	6.94
GT-124	Rubber Gasket for HT-14	1-1/16" x 1-21/32" x 1/8"	1.84
GT-118	Rubber Gasket for HT-12A and HT-34A	13/16" x 1-11/32" x 1/8"	0.65
GT-166	Rubber Gasket for HT-12 and HT-34	11/16" x 1-7/64" x 1/8"	1.70
GT-132	Rubber Gasket for HT-31-SS	2" x 3-1/4" x 1/8"	7.43
GT-128	Rubber Gasket for HT-36	1-1/4" x 1-29/32" x 1/8"	5.25

METER IDLERS

for 1-1/2" through 2" meters



for 5/8" through 1" meters

CATALOG NUMBER	DESCRIPTION	APPROX. WT. LBS.	STD PKG. QTY.	LIST PRICE
IDLER-1-NL	Replaces 5/8" Meter	0.6	40	\$ 45.73
IDLER-1P	Replaces 5/8" Meter (plastic)	0.1	-	21.05
IDLER-2-NL	Replaces 5/8" x 3/4" Meter	0.9	25	45.73
IDLER-2-4-NL	Replaces 5/8" x 3/4" Meter, 4" length	0.7	-	45.73
IDLER-2-5-75-NL	Replaces 5/8" x 3/4" Meter, 5-3/4" length	0.8	18	45.73
IDLER-2P	Replaces 5/8" x 3/4" Meter (plastic)	0.3	1	21.05
IDLER-3-NL	Replaces 3/4" Meter	1.0	18	61.30
IDLER-3-9-5-NL	Replaces 3/4" Meter, 9-1/2" length	1.0	18	66.63
IDLER-3P	Replaces 3/4" Meter (plastic)	0.4	1	22.54
IDLER-4-NL	Replaces 1" Meter	1.5	12	89.70
IDLER-4-6-875-NL	Replaces 1" Meter, 6-7/8" length	1.2	5	89.70
IDLER-4-9-NL	Replaces 1" Meter, 9" length	1.4	12	98.67
IDLER-4P	Replaces 1" Meter (plastic)	0.4	1	27.68
IDLER-4P-9	Replaces 1" Meter (plastic), 9" length	0.4	1	16.84
IDLER-6-NL	Replaces 1-1/2" Meter	6.2	1	313.09
IDLER-6-3-NL	Replaces 1-1/2" Meter, 3" length	4.4	-	313.09
IDLER-6-4-NL	Replaces 1-1/2" Meter, 4" length	4.5	6	313.09
IDLER-6-7-NL	Replaces 1-1/2" Meter, 7" length	5.6	1	313.09
IDLER-6-10-NL	Replaces 1-1/2" Meter, 10" length	5.9	1	313.09
IDLER-7-NL	Replaces 2" Flanged Meter	10.8	1	413.73
IDLER-7-3-NL	Replaces 2" Flanged Meter, 3" length	6.0	2	344.04
IDLER-7-6-875-NL	Replaces 2" Flanged Meter, 6-7/8" length	6.6	4	413.73
IDLER-7-8-NL	Replaces 2" Flanged Meter, 8" length	7.9	1	413.73
IDLER-7-10-NL	Replaces 2" Flanged Meter, 10" length	8.0	-	413.73
IDLER-7-13-313-NL	Replaces 2" Flanged Meter, 13-5/16" length	8.2	1	413.73
IDLER-7-15-25-NL	Replaces 2" Flanged Meter, 15-1/4" length	8.4	1	413.73
IDLER-7-15-75-NL	Replaces 2" Flanged Meter, 15-3/4" length	8.4	-	413.73
IDLER-7-18-5-NL	Replaces 2" Flanged Meter, 18-1/2" length	8.5	1	427.43

MISCELLANEOUS TESTER AND TANK PARTS

CATALOG NUMBER	DESCRIPTION	LIST PRICE
9603	Gage Glass for Standard Calibrated Tank (4 ft.)	\$ 240.17
9605	1" Drain Valve for 1-F-SS or 10-G Tank	245.99
9606	1-1/2" Drain Valve for 20-GF or 10-FG Tank	384.97
9607	2" Drain Valve for 100-GF Tank	1270.10
9608	3" Drain Valve	1551.15
9616	Tube and Rotor Assembly for KTI Testrate Indicator	2535.25
9617	Meter Vise Inlet Plug with Ring	270.85
9618	Meter Vise Outlet Plug	101.70
9619-NL	Set 8 Brass Rings for Standard Tester Clamp	179.04

ELECTRONIC CONTROL UNIT PARTS

CATALOG NUMBER	DESCRIPTION	LIST PRICE
9609	Electric Valve Only with Solenoid, Less Wire	\$ 586.54
9610	3/8" Strainer with Union	101.78
9610-S	Wire Mesh Strainer Only	15.51
9621	Electrode with Tube and Clamp at Standard 21-1/4" Length. (for custom lengths, use 9621-xx)	160.26
9621-xx	For custom length electrodes, provide the distance in inches from top of tank to water test level. Specify "electrodes to be _____ inches long." For each additional inch, add to price where xx is the total inches from top of tank to water test level.	3.45
9622	Flow Control Needle Valve for Electric Control Unit Bypass	438.15
9628	Banana Plug Only (each)	16.44

Caution: Wire replacement requires a qualified electrician.

METER SHOP ACCESSORIES

CATALOG NUMBER	DESCRIPTION	LIST PRICE
9547	Meter Vise	\$ 1211.65