



SUBMITTAL INFORMATION

Corporation Stops - (F200-x-NL style)



AWWA/CC TAPER THREAD INLET BY MALE COUPLING THREAD WITH INSIDE DRIVING THREAD



Due to design variations related to sizing, items may differ from images above.

VALVE SIZE (IN.)	INLET SIZE (IN.)	OUTLET SIZE (IN.)	VALVE LENGTH (IN.)	BODY OUTLET THREADS	APPROX. WT. LBS.	PART NUMBER	✓ SUBMITTED ITEM(S)
5/8	5/8	5/8	3-3/8	5/8" Male Coupling	1.0	F200-2-NL	
3/4	3/4	3/4	3-13/16	3/4" Male Coupling	1.4	F200-3-NL	
1	1	1	4-5/16	1" Male Coupling	2.1	F200-4-NL	

FEATURES

- All brass that comes in contact with potable water conforms to AWWA Standard C800 (ASTM B584, UNS C89833)
- The product has the letters "NL" cast into the main body for lead-free identification
- Certified to NSF/ANSI/CAN Standard 61 and NSF/ANSI/CAN Standard 372 where applicable
- Brass components that do not come in contact with potable water conform to AWWA Standard C800 (ASTM B62 and ASTM B584, UNS C83600, 85-5-5-5)
- Body design provides larger, more rugged wrench flats for proper installation
- Meets 100 PSI working pressure requirement of AWWA Standard C800
- Internal driving thread conforms to C800 Section 4.4.8, for each corresponding nominal size

The Ford Meter Box Company considers the information in this submittal form to be correct at the time of publication. Item and option availability, including specifications, are subject to change without notice. Please verify that your product information is current. Our standard warranty applies.



The Ford Meter Box Company, Inc.

P.O. Box 443, Wabash, Indiana U.S.A. 46992-0443

Phone: 260-563-3171 / Fax: 800-826-3487

Overseas Fax: 260-563-0167

www.fordmeterbox.com

09/30/24

Submitted By: