




SUBMITTAL INFORMATION


Insulating Boots - (FIB-xxxx style)



SBR INSULATING BOOTS FOR DUCTILE IRON PIPE



Place the FIB on one pipe end and the coupling on the adjoining pipe.



Complete the installation according to the coupling instructions.

Nominal Pipe Size (In.)	Length (In.)	Approx Wt. Lbs.	DI Pipe OD	Catalog Number	✓ Submitted Item(s)
3	7	0.6	3.96	FIB-396	
4	7	0.7	4.80	FIB-480	
6	7	1.0	6.90	FIB-690	
8	7	1.3	9.05	FIB-905	
10	7	1.6	11.10	FIB-1110	
12	7	1.9	13.20	FIB-1320	
14	7	2.7	15.30	FIB-1530	
16	7	3.0	17.40	FIB-1740	
18	7	3.1	19.50	FIB-1950	
20	7	3.2	21.60	FIB-2160	
24	7	4.5	25.80	FIB-2580	
30	7	5.0	32.00	FIB-3200	
36	7	5.5	38.30	FIB-3830	
48	7	7.3	50.80	FIB-5080	

Note: Additional sizes built to the same specification are available upon request

FEATURES

- SBR rubber per ASTM D2000
- Provides a break in electrical conductivity between metallic pipes to control corrosion
- Prevents contact with adjoining pipe
- FIB adds .25" to the outside diameter of the pipe

The Ford Meter Box Company considers the information in this submittal form to be correct at the time of publication. Item and option availability, including specifications, are subject to change without notice. Please verify that your product information is current. Our standard warranty applies.



The Ford Meter Box Company, Inc.

P.O. Box 443, Wabash, Indiana U.S.A. 46992-0443

Phone: 260-563-3171 / Fax: 800-826-3487

Overseas Fax: 260-563-0167

www.fordmeterbox.com

06/11/24

Submitted By: