


SUBMITTAL INFORMATION

Repair Clamps - (FS1-xxx-Length-U100 style)



6" AND 8" ALL STAINLESS STEEL CIRCLE REPAIR CLAMPS

Optional Stainless Taps
Type 304 stainless steel TIG welded to band. Available with AWWA or I.P. threads.

Band
Type 304 stainless steel


Lifter Bar
Type 304 heavy gauge stainless steel

Sidebar
Type 304 heavy gauge stainless steel

Lug
Type 304 heavy gauge stainless steel

Gasket
Gridded virgin SBR compounded for water service, per ASTM D2000. NBR (Buna-N) is optional.

Armor
Type 304 heavy gauge stainless steel, mold bonded into the gasket to ensure uniform compression against the pipe



OUTLET THREAD TAP CODE

CC (AWWA) THREAD		IP THREAD	
THREAD	CODE NUMBER	THREAD	CODE No.
3/4" CC	-CC3	3/4" IP	-IP3
1" CC	-CC4	1" IP	-IP4
1-1/4" CC	-CC5	1-1/4" IP	-IP5
1-1/2" CC	-CC6	1-1/2" IP	-IP6
2" CC	-CC7	2" IP	-IP7

NOM. PIPE SIZE	PIPE O.D. RANGE (IN.)	LENGTH AND APPROXIMATE WEIGHT (LBS.)								BOLT SIZE	BAND THICKNESS	CATALOG NUMBER	✓ SUBMITTED ITEM(S)
		7.5"	10"	12.5"	15"	20"	24"	30"	36"				
6"	5.95 - 6.35	7	9	10	14	17	21	27	34	5/8" 11 UNC	20 GA.	FS1-635-Length-U100	
	6.35 - 6.75											FS1-675-Length-U100	
	6.56 - 6.96											FS1-696-Length-U100	
	6.80 - 7.20											FS1-720-Length-U100	
	6.84 - 7.24											FS1-724-Length-U100	
	6.85 - 7.25											FS1-725-Length-U100	
	7.05 - 7.45											FS1-745-Length-U100	
	7.25 - 7.65											FS1-765-Length-U100	
	7.45 - 7.85											FS1-785-Length-U100	
8"	7.95 - 8.35	8	10	11	15	19	24	30	39			FS1-835-Length-U100	
	8.54 - 8.94											FS1-894-Length-U100	
	8.99 - 9.39											FS1-939-Length-U100	
	9.27 - 9.67											FS1-967-Length-U100	
Number of Bolts		2	3	3	4	6	7	9	10				

FEATURES

- NBR (Buna-N) gasket and conductivity strips are available
- Also available in two-and three-section clamps for a wider range of pipe sizes and tolerances
- Optional outlet taps are available for repair of service line pull-outs. Add tapping code to catalog number
- All welds are fully passivated to restore corrosion resistant characteristics of stainless steel
- Certified to ANSI/NSF Standard 61
- 100% manufactured in the United States of America

The Ford Meter Box Company considers the information in this submittal form to be correct at the time of publication. Item and option availability, including specifications, are subject to change without notice. Please verify that your product information is current. Our standard warranty applies.



The Ford Meter Box Company, Inc.
P.O. Box 443, Wabash, Indiana U.S.A. 46992-0443
Phone: 260-563-3171 / Fax: 800-826-3487
Overseas Fax: 260-563-0167
www.fordmeterbox.com

04/19/21

Submitted By: